



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	All-In-One Electro-photographic Printer			
Commercial name *	DCP-L2551DN			
Model number *	DCP-L2551DN			
Issue date *	20/February/2018			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other (Russia)			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te *	20/February/2018				
Product	Product environmental attributes - Legal requirements			Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²,	/week		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al 🗌		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See	elegal		\boxtimes
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conform	nity verification & Eco design (ErP)		_		
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements):	gal referen	ice).		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required information is; given in item P15 or added to this document,					
P4	Consun	available at (add URL):				
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% ((see		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referen	ce).		
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled acc	or which th	· <u>~</u>		
	applicab	le regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).		able		
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmiu	m and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the mat	erial(s)		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified (see legal reference).	in the M	ontreal 🔀		
	Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *

DCP-L2551DN

Model number *	DCP-L2551DN	Logo	
Issue date *	20/February/2018		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require		t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PS-HI Material type: PC/ABS Material type: ABS			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u>_</u>	\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		X	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)		<u></u>	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(17), FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.1 %. or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * DCP-L255		51DN			Logo				
Issue date * 20/February/2018			ary/2018						
Product 6	environn	nental att	ributes - Market red	quirements (cor	ntinued)		Requi	irement	met
Item					,		Ye		n.a.
			ance requirements (c						
P7.21*	Biobase	d plastic ma	aterial content is used i	n the product (See	NOTE B7):				
	a) Of t	otal plastic			swered; ic material content (calculate	ed as a perce	entage of		
		I plastic by	weight) is %.						
	or b) The	weight of	the biobased plastic ma	aterial is g.					
P7.22*			ee from mercury, i.e. le		np.		\triangleright	1 🗇	$\overline{}$
			pecify: Number of lamp		imum mercury content per la	amp:	mg		ш
P8	Batteries								
P8.1*		hemical co							
P9			on (See NOTE B8)						
P9.1	<u> </u>	roduct the	following power levels		•				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC		Reference/Si modes and to	tandard for est method *	energy	
Sleep mod STAR® Op	erational		W	W	W				
(OM) produ Standby/of		•	W	W	W				
ENERGY S	STAR Ope	erational		••					
Mode (OM)									
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	1.352 kWh/week				Ш	
'					KWIII WOOK				
(TEC= Typ	ical Energ	Jy	W	W	Approx. 475 W				
									<u> </u>
Copying			W	W	Approx. 485 W				<u> </u>
Quiet Mo			W	W	Approx. 260 W				Ц
Quiet Mo	de/Printii	ng	W	W	Approx. 260 W				
Ready			W	W	Approx. 42 W				
Sleep			W	W	Approx. 6.2 W				
Deep Sle	ер		W	W	Approx. 0.9 W				
Power Of	ff		W	W	Approx. 0.03 W				
Networked Standby		W	W	Approx. 1.00 W					
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:					\boxtimes				
Print/Scan	Speed *	:	34 images per seco	nd					
Default time	e to enter	energy sav	ve mode: 1 minu	tes					
P9.2*	Informati	on about th	ne energy save function	n is provided with the	he product.		\triangleright	1	
P10	Emissio	ns							
			Declared according to	ISO 9296 (See NO					
P10.1	Mode	M	ode description		Statistical upper limit A-weig $L_{WA,c}$ (B)	ghted sound	power level,		
	Idle	*			*				
	Operatio	n *	Printing(mono)		* 6.59				H
	Other mo		<u></u>						
	Measured according to: SO 7779 ECMA-74								
	Other RAL-UZ205 (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Product environmental attributes - Market requirements (continued) Requirement metal term Yes No n.a.	Logo	,					
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC							
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC							
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	(continued) Requirement	rement met					
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone		No n.a.					
Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone							
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.							
Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	JZ205						
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.							
Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	Styrene Benzene TVOC						
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	Styrene Benzene TVOC						
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	labels to be declared in P14						
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	labels to be declared in 1-14.						
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	r preparation, even if not legally required (see P4.3).						
EN 12281.							
P11.3* 2-sided (duplex) printing/copying is an integrated product function.							
	ct function.						
P11.4* The product is delivered to end-user with default auto-duplex enabled.							
P13 Packaging and documentation							
P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.22	8 (8)						
Product packaging material type(s): PS-E weight (kg): 0.44 Product packaging material type(s): HDPE weight (kg): 0.08	Product packaging material type(s): PS-E weight (kg): 0.44 Product packaging material type(s): PIPPE weight (kg): 0.08						
P13.2* Product plastic primary packaging is free from PVC.							
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-						
consumer recovered fiber content: 50 %							
P13.4* Specify media for user and product documentation (tick box):							
Electronic , Paper , Other	1 . ,						
P13.5 (Please only complete this item if paper documentation used)	hasul						
User and product documentation on paper media is chlorine-free:							
If Yes, please specify:							
Totally chlorine-free							
Elemental chlorine-free							
Processed chlorine-free							
P14 Voluntary programs:							
P14.1 The product meets the requirements of the following voluntary program(s):	luntary program(s):						
ENERGY STAR® Criteria version: 2.0 Date: 10/July/2017 Product category: Imaging Equipment	Date: 10/July/2017 Product category: Imaging Equipment	uipment					
Eco-label: Blue Angel Criteria version: RAL-UZ205 Date:27/June/2017 Product category: Office Equipment	205 Date: 27/June/2017 Product category: Office Equipment	ment					
with Printing Function Eco-label: Criteria version: Date: Product category:		ction					
Eco Tabel. Official version. Date. I roduct category.	Date.						
P15 Additional information (See NOTE B11)	Additional information (See NOTE B11)						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1