



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Brother | Logo |
|------------------------|------------------------------|------|
| Company name * | Brother International Europe | |
| Contact information * | Stephen Kimber | |
| e-mail address | steve.kimber@brother.co.uk | |
| Internet site * | www.brother.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|--|--|--|--|--|--|
| Type of product * | Electro-photographic Printer | | | | |
| Commercial name * | HL-L2312D | | | | |
| Model number * | HL-L2312D | | | | |
| Issue date * | 12/January/2018 | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| Issue date * | | 12/January/2018 | | | | | |
|-----------------|--|--|---------------|---------|---------------|---------------|--|
| Product environ | | mental attributes - Legal requirements | | Require | ment | met | |
| Item | | | | Yes | No | n.a. | |
| P1 | | ous substances and preparations | | | | | |
| P1.1* | | do comply with the current European RoHS Directive. (See legal reference and N | OTE B1) | | Ш | | |
| P1.2* | | do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. | | | | | |
| P1.3* | P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | | |
| P1.4* | | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference). | lorinated | | | | |
| P1.5* | | | | | | | |
| P1.6* | (see lega | h direct and prolonged skin contact do not release nickel in concentrations above Cal reference). |),5 μg/cm²/w | eek | | | |
| P1.7* | | nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail | contact). | | $\overline{}$ | $\overline{}$ | |
| 1 1.7 | | other.eu/reach | contact). | | Ш | Ш | |
| P2 | Batterie | | | | | | |
| P2.1* | symbol. | duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference) | | | | | |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg reference) | | | | | | |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | | | \boxtimes | |
| P3 | | nity verification & Eco design (ErP) | | | | | |
| P3.1* | The Dec | duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements): upport.brother.com/g/b/productsearch.aspx?c=gb⟨=en | gal reference | e). 🔀 | | | |
| P3.2* | The product complies with the Eco design requirements for energy-related products, (see legal reference). | | | | | | |
| | Required information is; given in item P15 or added to this document, available at (add URL): | | | | | | |
| _ | | pport.brother.com/g/b/productsearch.aspx?c=gb⟨=en | | | | | |
| P4 | | pable materials | 0.040/./ | | _ | | |
| P4.1* | legal refe | o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1). | | | <u>Ц</u> | | |
| P4.2* | | er is used in the product, it does not contain cadmium max 0,1% by weight (see leg | | | | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | | | | |
| P5 | | packaging | | | | | |
| P5.1* | hexavale | ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together. | | | | | |
| P5.2* | used (se | kaging materials are marked with abbreviations and numbers indicating the nature elegal reference). | | | | | |
| P5.3* | Protocol | duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values. | in the Mon | treal 🔀 | | | |
| P6 | | nt information | | | | | |
| P6.1* | 5.1* Information for recyclers/treatment facilities is available (see legal reference). | | | | | | |

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * HL-L2312D

| Model number * | HL-L2312D | Logo | |
|----------------|-----------------|------|--|
| Issue date * | 12/January/2018 | | |
| | | | |

| Product | t environmental attributes - Market requirements (See General NOTE GN below) | | | | | | | |
|---------|--|-------------|-------------|-----------|--|--|--|--|
| - | - Environmental conscious design Requirement met | | | | | | | |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. | | | | |
| P7 | Design | | | | | | | |
| D7.4* | Disassembly, recycling | | | | | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | Щ | <u></u> _ | | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | <u>Ц</u> | | | | | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | \boxtimes | | | | | | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | | | | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | | | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | | | | | | |
| | Product lifetime | | | | | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | | \boxtimes | | | | | |
| P7.8* | Upgrading can be done using commonly available tools | | \boxtimes | | | | | |
| P7.9. | Spare parts are available after end of production for: 7 years | | | | | | | |
| P7.10 | Service is available after end of production for: 7years | | | | | | | |
| | Material and substance requirements | | | | | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | | | | | |
| | Material type: PS-HI Material type: PC/ABS Material type: ABS | | | | | | | |
| P7.12 | Insulation materials of external electrical cables are PVC free. | | \boxtimes | | | | | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | \boxtimes | | | | | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts | | | | | | | |
| P7.15 | containing more than 25% post-consumer recycled content. | | | | | | | |
| 17.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2) | Ш | | Ш | | | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | \square | | | | | | |
| | Marking: FR(40) | | Ш | Ш | | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: | | | | | | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: | | | | | | | |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) | | | | | | | |
| | 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | | | | | | |
| P7.19 | FR(17), FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | | | | | | |
| P7.19 | assigned the following Risk phrases; and Hazard statements: | Ш | Ш | | | | | |
| D7 20* | The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) | | _ | | | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.16 %. or b) The weight of recycled material is g. | | | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nun | odel number * HL-L2312D | | | Logo | | | | | | |
|---------------------------|---|------------------|------------------------------|---|--|---------------------|------------|--|---------------|-------------------|
| Issue date | sue date * 12/January/2018 | | | | | | | | | |
| | | | | | | | | | | |
| Product | environn | | Re | _ | ement | | | | | |
| Item | tem Yes No r Material and substance requirements (continued) | | | | | | | | n.a. | |
| P7.21* | | | aterial content is used i | | NOTE B7): | | | | | |
| | | • | of the two alternatives | | , | | | | | |
| | | | | | material content (calcula | ted as a perce | entage of | | | |
| | tota | l plastic by | | · | • | · | | | | |
| | or b) The weight of the biobased plastic material is g. | | | | | | | | | |
| P7.22* | | | ee from mercury, i.e. le | |). | | - | | $\overline{}$ | $\overline{}$ |
| | | | pecify: Number of lam | | num mercury content per | lamp: r | mg | | ш | |
| P8 | Batteries | S | | | | | | | | |
| P8.1* | Battery c | hemical co | mposition: | | | | | | | \boxtimes |
| P9 | | | on (See NOTE B8) | | | | | | | |
| P9.1 | For the p | roduct the | following power levels | or energy consumpt | ions are reported: | | | | | |
| Energy mo | de * | | Power level at | Power level at | Power level at | Reference/St | | | energy | |
| 0 | (ENE | DOV | 100 V AC | 115 V AC | 230 V AC | modes and te | est method | | | |
| Sleep mod STAR® Op | | | W | W | W | | | | | \boxtimes |
| (OM) produ | ucts | | | | | | | | | |
| Standby/of | | | W | W | W | | | | | \boxtimes |
| ENERGY S Mode (OM) | | | | | | | | | | |
| TEC value for ENERGY STAR | | kWh/week | kWh/week | 1.18 kWh/week | | | | | | |
| TEC produ | cts | | | | | | | | | |
| (TEC= Typical Energy | | | | | | | | | | |
| Printing | | W | W | Approx. 460 W | | | | | | |
| Quiet Mo | de/Printir | ng | W | W | Approx. 265 W | | | | | |
| Ready | | | W | W | Approx. 48 W | | | | | |
| Sleep | | | W | W | Approx. 5.7 W | | | | | |
| Deep Sle | ер | | W | W | Approx. 0.6 W | | | | | |
| Power O | ff | | W | W | Approx. 0.03 W | | | | | $\overline{\Box}$ |
| Networke | ed Standb | ργ | W | W | Approx. 0.6 W | | | | | 一一 |
| | | <u> </u> | L by Level (International | Efficiency Marking P | | | | | | |
| Print/Scan | | | 30 images per seco | | | | | | | |
| Pilini/Scan | Speed | • | 30 images per seco | na | | | | | | Ш |
| Default tim | e to enter | energy sav | ve mode: 1 minu | tes | | | | | | |
| P9.2* | 9.2* Information about the energy save function is provided with the product. | | | | | | | | | |
| P10 | Emissio | | | | | | | | | |
| D40.4 | | | Declared according to | | | Salata da a consela | | | | |
| P10.1 Mode Mod | | lode description | | Statistical upper limit A-we _{WA,c} (B) | igntea souna | power leve | H, | | | |
| | | | | | <i>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</i> | | | | | |
| | Idle | * | | * | | | | | | |
| | Operatio | | Printing(mono) | * | 6.56 | | | | | |
| | Other mo | | | | | | | | | |
| | Measure | d according | · <u> </u> | ECMA-74 | 50 | | | | | |
| l | Other RAL-UZ205 (only if not covered by ECMA-74) | | | | | | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model number * | | HL-L2312D | | | | | Logo | | | | |
|----------------|--|--|-------------------|----------------|------------------|---------------|-----------------|--------------------|-------------------|------|-------------------|
| Issue date | * | 12/January/2018 | | | | | | | | | |
| Product | ct environmental attributes - Market requirements (continued) Requirement met | | | | | | | | | | |
| Item | | | | | (| | | | Yes | No | n.a. |
| | | al emissions from p | | | | | | | | | |
| P10.2* | | rformed according to | | | | ission Rates | from Electronic | ; | \boxtimes | | |
| | | ent (ISO/IEC 28360) | | | Z2 05 | | | | | | |
| P10.3 | Typical | emission rate (operat | tion phase) is (r | ng/h): | | | | | | | |
| | Electrop | hotographic devices: | : Ozone | Dust | Styrene | Benzer | ne TVO | С | | | |
| | Ink devi | ces: | | Dust | Styrene | Benzer | ne TVO | С | | | Ħ |
| | Note: co | ompliance with maxim | num emission r | ates in eco la | abels to be decl | ared in P14. | | | | | |
| P11 | | nable materials for | | | | | | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | | | | | | | | | | |
| P11.2* | Paper of | containing post-consi | umer recycled | fibers can b | pe used, provid | led that it m | eets the requi | rements of | | | |
| P11.3* | 2-sided | (duplex) printing/copy | ying is an integ | rated produc | t function. | | | | \boxtimes | | |
| P11.4* | The pro | duct is delivered to e | nd-user with de | fault auto-du | ıplex enabled. | | | | $\overline{\Box}$ | | Ħ |
| P13 | Packag | ing and documenta | tion | | | | | | | | |
| P13.1* | Product packaging material type(s): CRGTD-FBRBRD Weight (kg): 0.72 Product packaging material type(s): PS-E weight (kg): 0.18 Product packaging material type(s): HDPE weight (kg): 0.02 | | | | | | | | | | |
| P13.2* | Product | plastic primary packa | aging is free fro | m PVC. | <u> </u> | | | | \boxtimes | | |
| P13.3* | For pro | duct primary corruga | ated fiberboard | packaging, | specify the co | ntained perc | entage of mini | mum post- | | | $\overline{\Box}$ |
| | consumer recovered fiber content: 50 % | | | | | | | | | | |
| P13.4* | * Specify media for user and product documentation (tick box): Electronic , Paper , Other | | | | | | | | | | |
| P13.5 | Ùser an | only complete this its d product documenta blease specify: | | | | | | | | | |
| | | chlorine-free | | | | | | | | | |
| | Elemen | tal chlorine-free | | | | | | | Ħ | | |
| | Process | ed chlorine-free | | | | | | | Ħ | | |
| P14 | Volunta | ry programs: | | | | | | | | | |
| P14.1 | The pro | duct meets the requir | rements of the t | ollowing volu | untary program(| (s): | | | | | |
| | ENERG | Y STAR® | Criteria versio | n: 2.0 | Date: 7/J | uly/2017 | Product catego | ory: <i>Imagin</i> | g Equip | ment | |
| | Eco-lab | | Criteria versio | | Date: | | Product catego | , | | | |
| P15 | Eco-lab | el: <mark>nal information (Se</mark> e | Criteria versio | n: | Date: | | Product catego | огу: | | | |
| FID | Auditio | iiai iiiioiiiialioii (3ee | e NOIE BII) | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|---|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |