



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Brother | Logo |
|------------------------|------------------------------|------|
| Company name * | Brother International Europe | |
| Contact information * | Stephen Kimber | |
| e-mail address | steve.kimber@brother.co.uk | |
| Internet site * | www.brother.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | |
|--|--|--|--|--|--|
| conforms to the statements given in this declaration. | | | | | |
| Type of product * | ALL IN ONE Inkjet Printer | | | | |
| Commercial name * | MFC-J3530DW | | | | |
| Model number * | MFC-J3530DW | | | | |
| Issue date * | 18/November/2016 | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| Issue date * | | 18/November/2016 | | | | |
|------------------|--|--|---------------|-------------|---------------|------|
| Product environn | | mental attributes - Legal requirements | | Require | ment | met |
| Item | | • | | Yes | No | n.a. |
| P1 | Hazardo | | | | | |
| P1.1* | | do comply with the current European RoHS Directive. (See legal reference and N | OTE B1) | | | |
| P1.2* | | do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. | | | | |
| P1.3* | P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.4* | P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | | | | | |
| P1.5* | | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | bon atoms ir | n the | | |
| P1.6* | (see lega | h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). |),5 μg/cm²/w | reek | | |
| P1.7* | | nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail | contact): | | $\overline{}$ | |
| P1.7 | | other.eu/reach | contact). | | | |
| P2 | Batterie | | | | | |
| P2.1* | symbol. | educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference) | | | | |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference) | | | | | |
| P2.3* | Batteries | | | \boxtimes | | |
| P3 | | nity verification & Eco design (ErP) | | | | |
| P3.1* | The Dec | duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements): support.brother.com/g/b/productsearch.aspx?c=gb⟨=en | gal reference | e). 🔀 | | |
| P3.2* | The product complies with the Eco design requirements for energy-related products, (see legal reference). | | | | | |
| | | d information is; | | | | |
| | http://s | support.brother.com/g/b/productsearch.aspx?c=gb⟨=en | | | | |
| P4 | Consun | nable materials | | | | |
| P4.1* | legal refe | o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1). | | | | |
| P4.2* | If ink/ton | er is used in the product, it does not contain cadmium max 0,1% by weight (see leg | gal reference | ∍). | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | | | |
| P5 | | packaging | <u> </u> | | | |
| P5.1* | hexavale | ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together. | | | | |
| P5.2* | | kaging materials are marked with abbreviations and numbers indicating the nature elegal reference). | of the mater | rial(s) | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P6 | Treatme | nt information | | | | |
| P6.1* | 1* Information for recyclers/treatment facilities is available (see legal reference). | | | | | |

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MFC-J3530DW

| Model number * | MFC-J3530DW | Logo | |
|----------------|------------------|------|--|
| Issue date * | 18/November/2016 | | |
| | | | |

| | environmental attributes - Market requirements (See General NOTE GN below) | | | |
|--------|---|-------------|-------------------------|------------------|
| | | Require | | |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design Piesesambly recycling | | | |
| P7.1* | Disassembly, recycling Parts that have to be treated separately are easily separable | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | + | |
| P7.3* | | | ₩ | |
| | Plastic parts > 100 g consist of one material or of easily separable materials. | | 井 | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | <u>Ц</u> | <u> </u> |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | Щ | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| D= =: | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | <u> </u> | | <u> <u> </u></u> |
| P7.8* | Upgrading can be done using commonly available tools | | \boxtimes | |
| P7.9. | Spare parts are available after end of production for: 7 years | | | |
| P7.10 | Service is available after end of production for: 7years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| P7.12 | Material type: PS-HI Material type: ABS Material type: Insulation materials of external electrical cables are PVC free. | | | |
| | | | | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | $\underline{\boxtimes}$ | <u> </u> |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and | | | |
| | polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts | | | |
| | containing more than 25% post-consumer recycled content. | | | |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low | | | |
| | halogen as defined in IEC 61249-2-21. (See NOTE B2) | | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | \boxtimes |
| D7.47 | Marking: | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): | | \boxtimes | |
| | TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: | Ш | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g | | | |
| P7.18 | according ISO 1043-4: <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in | | | |
| 1 7.10 | concentrations above 0.1%: | | | |
| | 1. Chemical name: , CAS #: (See NOTE B4) | | ш | ш |
| | 2. Chemical name: , CAS #: " | | | |
| | 3. Chemical name: , CAS #: " | <u> </u> | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) | | <u>Ц</u> | |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: | | | |
| | The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5) | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See NOTE B6): | \square | | |
| 7.20 | | | Ш | |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a | | | |
| | percentage of total plastic by weight) is 0.2 %. | | | |
| | or | | | |
| | b) The weight of recycled material is 22.13 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nun | del number * MFC-J3530DW | | Logo | | | | | | |
|--|---|--------------|--|----------------------------|---|-------------------------|--------------------------|----------|------|
| Issue date | ssue date * 18/November/2016 | | | | | | | | |
| | | | | | | | | | |
| Product environmental attributes - Market requirements (continued) | | | | | | | | rement | met |
| Item | | | | | | | Ye | s No | n.a. |
| P7.21* | | | <mark>ance requirements (c</mark> aterial content is used i | | NOTE D7\· | | | 1 🔽 | _ |
| F1.Z1 | | • | | • | , | | | | Ш |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of | | | | | | | | |
| | total plastic by weight) is %. | | | | | | | | |
| | or | | | | | | | | |
| P7.22* | • | • | ee from mercury, i.e. le | - | nn. | | | 1 🗀 | |
| F1.22 | | | pecify: Number of lamp | | np. imum mercury content per la | mp: | mg | 1 📙 | Ш |
| P8 | Batteries | | ' ' | | , , | ' | | | |
| P8.1* | Battery ch | nemical co | mposition: | | | | | | X |
| P9 | | | on (See NOTE B8) | | | | | | |
| P9.1 | For the pr | roduct the | following power levels | or energy consum | ptions are reported: | <u> </u> | | | |
| Energy mo | de * | | Power level at 100 V AC | Power level at 115 V AC | | eference/Solodes and to | tandard for est method * | energy | |
| Sleep mod | | | W | W | Approx. 1.6 W | | | | |
| STAR® Op (OM) produ | | Mode | | | | | | | |
| Standby/of | | | W | W | Approx 0.04 W | | | | |
| ENERGY S | STAR Opei | rational | | | | | | | ш |
| Mode (OM) TEC value | | OV STAD | kWh/week | kWh/week | kWh/week | | | | |
| TEC value | | JI SIAK | KVVII/Week | KVVII/Week | KVVII/Week | | | | Ш |
| (TEC= Typ | ical Energy | У | | | | | | | |
| Copying | | | W | W | Approx. 27 W | | | | |
| Ready | | | W | W | Approx. 6.0 W | | | | |
| | | | W | W | W | | | | |
| | | | W | W | W | | | | |
| | | | W | W | W | | | | |
| | | | W | W | W | | | | |
| External Po | ower Suppl | ly Efficienc | cy Level (International I | Efficiency Marking | Protocol) *: | | | | |
| Print/Scan | Speed * | : | 22(Black) Images pe | er minute (based | on ISO/IEC 24734) | | | | П |
| images per | | oporav cav | ve mode: 5 minu | tos | | | | | |
| P9.2* | | 0, | ne energy save function | | ha product | | | 1 — | |
| P10 | Emission | | le ellergy save fullclior | r is provided with the | nie product. | | | <u> </u> | |
| PIU | | | Declared according to I | SO 9296 (See NO | TE B9) | | | | |
| P10.1 | Mode | | ode description | | Statistical upper limit A-weight L _{WA,c} (B) | nted sound | power level, | | |
| | Idle | * | | | * | | | | П |
| | Operation | * | Copying(mono) | | * 6.38 | | | | Ħ |
| | Other mo | | Copying(color) | | 6.38 | | | | |
| | Measured | daccording | | ECMA-74 | | | | | |
| | | | Other RAL- | UZ171 (only if not | covered by ECMA-74) | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nur | number * MFC-J3530DW | | | Logo | | | | | | | | |
|------------|--|--|------------------------|---------------------|--|---------------|--|-------------|--------|-------------|-------|------|
| Issue date | * | 18/November/2016 | 5 | | | | | | | | | |
| | | | | | | | | | | | | |
| Product | uct environmental attributes - Market requirements (continued) Requirem | | | | | | | ment | met | | | |
| Item | | | | | | | | | | Yes | No | n.a. |
| | | cal emissions from | | | | | | | | | | |
| P10.2* | | rformed according to | | | | ission Rate | s from El | ectronic | | \boxtimes | | |
| | | ent (ISO/IEC 28360) | | | 1 | | | | | | | |
| P10.3 | Typical | emission rate (opera | ition phase) is | (mg/h): | | | | | | | | |
| | Electro | photographic devices | : Ozone | Dust | Styrene | Benz | ene | TVOC | | | | |
| | Ink dev | ices: | | Dust | Styrene | Benz | ene | TVOC | | | | Ħ |
| | Note: c | ompliance with maxir | num emission | rates in eco label | s to be dec | lared in P14 | 1 | | | | | |
| P11 | | mable materials for | | | 0 10 00 000 | laroa III I | <u>. </u> | | | | | |
| P11.1* | | y Data Sheet (SDS) | | | paration, ev | en if not leg | gally requ | ired (see F | P4.3). | \square | П | |
| P11.2* | | containing post-cons | | | | | | | | | | |
| P11.3* | | (duplex) printing/cop | ying is an inte | grated product fur | nction. | | | | | \boxtimes | | |
| P11.4* | The pro | duct is delivered to e | end-user with o | default auto-duple: | x enabled. | | | | | | | X |
| P13 | | jing and documenta | | | | | | | | | | |
| P13.1* | Produc | t packaging material t packaging material t packaging material | type(s): PS-E (| (STYROFOAM) w | ight (kg): 3. veight (kg): eight (kg): 4 | 0.43 | | | | | | |
| P13.2* | | t plastic primary pack | | | eigiit (kg). t | 7.20 | | | | | | |
| P13.3* | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- | | | | | | | | | | | |
| | | ner recovered fiber co | | % | , | ' | 0 | | · | | | |
| P13.4* | Specify media for user and product documentation (tick box): | | | | | | | | | | | |
| | Electronic , Paper , Other . | | | | | | | | | | | |
| P13.5 | Ùser ar | e only complete this it and product document | | | | | | | | | | |
| | If Yes, | please specify: | | | | | | | | | | |
| | Totally | chlorine-free | | | | | | | | | | |
| | Elemen | ital chlorine-free | | | | | | | | | | |
| | Process | sed chlorine-free | | | | | | | | | | |
| P14 | | ary programs: | | | | | | | | | | |
| P14.1 | The pro | duct meets the requi | rements of the | e following volunta | ry program | (s): | | | | | | |
| | ENERGY STAR® Criteria version: 2.0 Date: 29/07/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 31/08/2016 Product category: Office Equipment with Printing Function | | | | | | | | | | | |
| | Eco-lab | el: | Criteria vers | ion: | Date: | | Product of | ategory: | , | imung | i unc | |
| P15 | Additio | nal information (Se | e NOTE B11) | | | | | <u> </u> | | | | |
| | | | | | <u> </u> | <u> </u> | | | - | | | |
| | - | | | | · | · | | - | - | | | |
| | | | | | | | | | | | | |
| | | - | | - | | | | | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|---|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |