

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Label Printer						
Commercial name *	PT-D210VP						
Model number *	PT-D210VP						
Issue date *	6/May/2016						
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	PT-D210VP	Logo				
Issue da	ite *	6/May/2016					
Produc	t environ	mental attributes - Legal requirements		Req	uire	ment	met
Item				Y	′es	No	n.a.
P1		bus substances and preparations					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and Ne	OTE B1)		<u> </u>	<u>Ц</u>	
P1.2*		s do not contain Asbestos (see legal reference).			\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			\mathbf{X}		
1 1.5	hydrobro trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no rr ation values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	[\mathbf{X}		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	\ge		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week			\square
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):	[\mathbf{X}		
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al			\boxtimes
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See	legal			\square
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			\times		
P3		nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal referen	ce).	\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		[\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at (add URL):		[
		upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=d210euk&flang type2=10004	=Englisha	&type			
P4		hable materials		· · ·			
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).					\square
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referen	ce).			\boxtimes
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to				
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur			\boxtimes		
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).			\boxtimes		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Mo	ontreal	\boxtimes		
P6 P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	PT-D210VP	Logo			
Issue da	ite *	6/May/2016				
		mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.			No r	
P7	Design					
D7 1*		nbly, recycling t have to be treated separately are easily separable				
P7.1*					<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u>Ц</u>	_Ц_
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				<u> </u>
P7.8*		g can be done using commonly available tools			\boxtimes	
P7.9.		rts are available after end of production for: 7 years				
P7.10		s available after end of production for: 7years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PS-HI Material	type: POM			
P7.12		n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatior	n materials of internal electrical cables are PVC free.		— Ħ		Ē
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	retardants,	and		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25	5 g 🗌 are	low		
D7 40		as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\bowtie
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without cor additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): , CAS #:			
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4:	nts) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparation	s in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	- 4 ·			\square
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:				
			IOTE B5)			
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes		
	a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is %.	(calculated a	as a		
		weight of recycled material is 1.86 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date	e* 6	////004/							
		/May/2010	5						
tem	environme	ental attri	ibutes - Market red	quirements (conti	nued)		Req	uireme	nt me
							Y	es N	lo n.a
			nce requirements (c		075 D.F.)				
P7.21*			erial content is used i		,		L		
	a) Of tot total p	east one c al plastic p plastic by v		below shall be answ the biobased plastic	ered; material content (calcul	ated as a perce	entage of		
	or b) The w	eight of th	e biobased plastic ma	aterial is g.					
P7.22*	Light source	es are fre	e from mercury, i.e. le ecify: Number of lam	ess than 0,1 mg/lamp	ium mercury content pe	r lamp:	mg [
P8	Batteries								
P8.1*	Battery che	emical corr	position:						
P9			n (See NOTE B8)						
P9.1		-	ollowing power levels	or energy consumpti	ons are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		enerę	ју 🗌
	te for ENER perational M ucts		W	W	W				
Standby/or ENERGY	ff mode for STAR Opera I) products	ational	W	W	W				
	for ENERG	Y STAR	kWh/week	kWh/week	kWh/week				
· ·	bical Energy								
OFF			W	W	0.25 W	Power switc	h off		
STAND B	Y		W	W	0.4 W	Power switc	h on		
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
External	ower Supply	Efficience	Level (International I						
		Linciency			010001) . 🕐				
Print/Scan		:	images per min	ute					\square
			e mode: 5 minutes						
P9.2*	Informatior	n about the	e energy save function	n is provided with the	product.		[] 🛛
P10	Emissions								
D40.4	1		eclared according to l			alabta di sassa 1			
P10.1	Mode	Mo	de description		tatistical upper limit A-w _{WA,c} (B)	eighted sound	power level,		
	Idle	*		*					X
	Operation	*		*					
	Other mod	е							
	Measured	according	to: 📃 ISO 7779 📃	ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: P10.3 Typical emission rate (operation phase) is (mgħ): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: Consumable materials protoconsumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 2281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): <i>Pastic(non Styroforam</i>)weight (kg): 0.07 Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.02	Model nu	mber *	PT-D210VP					Logo			
Item Yes No Chemical emissions from printing products (See NOTE B10) Item is the spectrom of the specify: Item is the specify: P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Image: Specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: P11.1* P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. Image: P11.3* Image: P11.3* P11.3* P3 exided (duplex) printing/copying is an integrated product function. Image: P11.3* Image: P11.3* P11.4* The product packaging material type(s): CR6TD-FBRBRD weight (kg): 0.01 Image: P11.3* P11.4* The product packaging material type(s): CR6TD-FBRBRD weight (kg): 0.02 Image: P13.4* Image: P13.4* Image: P13.5* For product packaging material type(s): Paper weight (kg): 0.07 Image: P13.4* Image: P13.5* For product packaging i	Issue dat	e *	6/May/2016								
Item Yes No Chemical emissions from printing products (See NOTE B10) Item prior according to ECMA-328 Determination of Chemical Emission Rates from Electronic Image: Complex Com					-						
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of e12281. Image: P12.2* P11.3* 2-sided (duplex) printing/copying is an integrated product function. Image: P12.3* P13.1* Product packaging material type(s): <i>CRGTD-FBRBRD</i> weight (kg): 0.01 Image: P13.3* P13.2* Product packaging material type(s): <i>Rastici(non Styrofoam/weight</i> (kg): 0.02 P13.3* P13.2* Product packaging material type(s): <i>Pager</i> weight (kg): 0.02 Image: P13.4* Specify media for user and product documentation (tick box): Electronic		environ	mental attribute	es - Market re	equirements	s (continued)					
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11.1* A Safety Data Stheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.1* P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.4* P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.4* P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* P13.4* The product is delivered to end-user with default auto-duplex enabled. P13.2* P13.2* Product packaging material type(s): <i>Plastic(non Styrofoam)</i> weight (kg): 0.02 P13.3* F13.3* For product primary packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): Electronic P14.1*	Item								Yes	No	n.a
Equipment (ISO/IEC 28360) _, other specify:							sian Datas (nom	Ele etrenie			
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozon Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	P10.2"					of Chemical Emis	sion Rates from	Electronic			\ge
Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	D10.2										
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	F10.5	Typical	emission rate (ope	eration phase) is	s (mg/n).						\geq
Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): <i>Paper</i> Product packaging material type(s): <i>Paper</i> weight (kg): 0.01 Product packaging material type(s): <i>Paper</i> weight (kg): 0.02 P13.2* Product plastic primary packaging is free from PVC. Image: Consumer recovered fiber content: % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation used) Image: Consumer recovered fiber content: % P13.5 (Please only complete this item if paper documentation used) Image: Consumer recovered fiber content: % P13.4* Specify media for user and product documentation used) Image: Consumer recovered fiber content: % Image: Consumer recovered fi			0 1	es: Ozone		,					
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.01 Product packaging material type(s): Paper weight (kg): 0.07 Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.02 P13.2* Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.02 P13.3* For product packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): Electronic Paper P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Criteria version: Date: <		Ink devi	ces:		Dust	Styrene	Benzene	TVOC			
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.01 Product packaging material type(s): Paper weight (kg): 0.02 P13.2* Product packaging material type(s): Paper Weight (kg): 0.02 P13.3* For product primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic Paper $iae (brine-free)$ P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Processed chlorine-free Processed chlorine-free Image: Processed chlorine-free Processed chlorine-free Image: Product category: P14 Voluntary programs: P14		Note: co	ompliance with ma	ximum emissio	n rates in eco	labels to be decla	red in P14.				
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.* Packaging and documentation P13.* Product packaging material type(s): CRGTD-FBRBRD Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.07 Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.07 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product packaging not user and product documentation (tick box): Electronic	P11	Consur	nable materials f	or printing pro	ducts						
EN 12281. EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.01 Product packaging material type(s): Paper weight (kg): 0.02 P13.2* Product packaging is free from PVC. P13.3* For product primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic	P11.1*	A Safet	y Data Sheet (SDS	S) is available fo	or the ink/tone	r preparation, eve	n if not legally re	quired (see P4.3	3).		X
P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.01 Product packaging material type(s): Paper weight (kg): 0.07 Product packaging material type(s): Pastic(non Styrofoam)weight (kg): 0.02 P13.2* Product packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic	P11.2*	•	0.	onsumer recycle	ed fibers can	be used, provide	ed that it meets	the requirement	nts of		\boxtimes
P13 Packaging and documentation P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.01 Product packaging material type(s): Paper weight (kg): 0.07 Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.02 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper X, Other	P11.3*	2-sided	(duplex) printing/o	copying is an int	egrated produ	ict function.					\times
P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.01 Product packaging material type(s): Paper weight (kg): 0.07 Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.02 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper Q Q P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Colored processed chlorine-free P13.4 Voluntary programs: P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Criteria version: Date: Product category: Criteria version: Date:	P11.4*	The pro	duct is delivered t	o end-user with	default auto-	uplex enabled.					\mathbf{X}
Product packaging material type(s): Paper weight (kg): 0.07 Product packaging material type(s): Plastic(non Styrofoam)weight (kg): 0.02 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper X, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13	Packag	ing and docume	ntation							
P13.2* Product plastic primary packaging is free from PVC. Image: Construct of the product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper X, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Image: X	P13.1*	Product	packaging materi	al type(s): Pape	er	weight (kg):	0.07				
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper X, Other	P13.2*								\boxtimes		
Electronic , Paper X, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: X Totally chlorine-free X Elemental chlorine-free X Processed chlorine-free X P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.3*					, specify the con	tained percentag	ge of minimum			
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.4*				mentation (ticl	(box):					
Elemental chlorine-free Image: Content of the following voluntary program(s): P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.5	Ùser an	d product docume							\boxtimes	
P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:		Elemen	tal chlorine-free								
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:		Process	ed chlorine-free								
ENERGY STAR®Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:											
Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:	P14.1	The pro	duct meets the re	quirements of th	ne following vo	oluntary program(s	5):				
		Eco-lab	el:	Criteria ver	sion:	Date:	Produc	t category:			
	P15		-			Dale.	FIUUUU	a calegoly.			
		Additio			/						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1