



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo			
Company name *	Brother International Europe				
Contact information *	Stephen Kimber				
e-mail address	steve.kimber@brother.co.uk				
Internet site *	www.brother.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
comornis to the statemen	its given in this declaration.				
Type of product *	Label Printer				
Commercial name *	PT-E550WVP				
Model number *	PT-E550WVP				
Issue date *	28/October/2016				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number * PT		PT-E550WVP	Logo					
Issue dat	sue date * 28/October/2016							
Product	t environmental attributes - Legal requirements				ment	met		
Item				Yes	No	n.a.		
P1	Hazardous substances and preparations							
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*	Commer	do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.						
P1.3*								
	trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.						
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\square				
	terpheny	I (PCT) in preparations (see legal reference).						
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/we	ek 🔀				
		al reference).						
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.		<u> </u>	_			
P1./		Article 33 information about substances in articles is available at (add URL or mail opther.eu/reach	contact):					
P2	Batterie							
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	the disposal		$\overline{\Box}$			
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)				<u> </u>		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					Ш		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://support.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=e550weuk&flang=English&typ							
D0.0*		Atype2=10004			$\overline{}$			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).						
	Required	d information is; given in item P15 or added to this document,				Ш		
	http://pr	available at (add URL):	a Fnalish?	41.cm				
	http://support.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=e550weuk&flang=English&typ e3=10065&type2=10004							
P4		pable materials						
P4.1*		conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	ax 0,01% (see	•		\square		
		erence and NOTE B1).						
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5		packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.						
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	al(s)				
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Mont	real 🔀				
P6	Treatment information							
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	PT-E550WVP	Logo	
Issue date *	28/October/2016		

	t environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	ement	met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.						
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes				
P7.8*	Upgrading can be done using commonly available tools		\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
D7.40	Material type: PC/PS Material type: PC/ABS						
P7.12	Insulation materials of external electrical cables are PVC free.						
P7.13	Insulation materials of internal electrical cables are PVC free.			_Ц_			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.						
	or b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	er * PT-E550WVP							
Issue date	*	28/Octobe	per/2016						
Product	environn	nental atti	ributes - Market re	quirements (co	ntinued)		Requi	rement	met
Item				•	•		Yes		n.a.
			ance requirements (d						
P7.21*	Biobase	d plastic ma	terial content is used i	in the product (See	e NOTE B7):				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 								
		weight of t	he biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. le becify: Number of lamp		mp. ximum mercury content per la	mp:	mg		
P8	Batteries								
P8.1*			mposition: Lithium-io	on					
P9			on (See NOTE B8)						
P9.1		product the	following power levels	or energy consum	·				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC		eference/S nodes and t	Standard for test method *	energy	
Sleep mod STAR® Op (OM) produ	perational		W	W	1.19 W				
Standby/of ENERGY S Mode (OM	STAR Ope	erational	W	W	0.4 W				
TEC value TEC produ	for ENER		kWh/week	kWh/week	kWh/week				
(TEC= Typ	ical Energ	J y							
			W	W	W				
			W	W	W				
			W	W	W				$\overline{\Box}$
			W	W	W				$\overline{\Box}$
			W	W	W				\overline{H}
			W	W	W				$\overline{}$
External Po	ower Supp	oly Efficienc	y Level (International	Efficiency Marking	Protocol) *: V				$\overline{\Box}$
Print/Scan	Speed *	:	1 images per min	iute	,				一
Default tim	e to enter	energy sav	e mode: minute	es					
P9.2*	Informati	on about th	e energy save function	n is provided with t	the product.		X		
P10	Emissio								
5.0.1			Declared according to	ISO 9296 (See NC					
P10.1	Mode	М	ode description		Statistical upper limit A-weig $L_{WA,c}$ (B)	nted sound	l power level,		
	Idle	*			*				
	Operatio				*				
	Other mode								
	Measure	d according	_	ECMA-74	d b., FORMA 74)				
			Other	(only if not covered	a by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		PT-E550WVP					Logo				
Issue date *		28/October/2016									
									equire		
Item									Yes	No	n.a.
D40.0*		cal emissions from							_		
P10.2*		rformed according to			of Chemical Emi	ssion Rates fi	om Electronic				
P10.3	Equipment (ISO/IEC 28360), other specify: Typical emission rate (operation phase) is (mg/h):										
F 10.3	Typical emission rate (operation phase) is (mg/m).										
	,										
	Ink devices: Dust Styrene Benzene		e TVOC								
	Note: co	ompliance with maxi	mum emission	rates in eco l	labels to be decla	ared in P14.					
P11		mable materials for									
P11.1*	A Safet	y Data Sheet (SDS)	is available for	the ink/toner	preparation, eve	n if not legall	y required (see	P4.3).	\boxtimes		
P11.2*	Paper of EN 122	containing post-cons 81.	sumer recycled	d fibers can	be used, provide	ed that it me	ets the require	ments of			
P11.3*	2-sided	(duplex) printing/cor	oying is an inte	grated produ	ct function.						\boxtimes
P11.4*	The pro	duct is delivered to	end-user with o	lefault auto-d	uplex enabled.						$\overline{\boxtimes}$
P13	Packag	ing and documenta	ation								
P13.1*											
P13.2*									\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
	consumer recovered fiber content: %										
P13.4*	Electror	media for user and \square nic \square , Paper $ ot\boxtimes$, C	Other	,	,						Ш
P13.5	, , , , , , , , , , , , , , , , , , ,										
	Totally of	chlorine-free									
	Elemen	tal chlorine-free							П		
	Processed chlorine-free										
P14		ary programs:									
P14.1	The pro	duct meets the requ	irements of the	following vo	luntary program(s):					
	ENERG	SY STAR®	Criteria vers	ion: 2.0	Date: 22/Decen 14		oduct category:				
	Eco-lab		Criteria vers	. •	Date:		duct category:				
D45	Eco-lab		Criteria vers	ion:	Date:	Pro	duct category:				
P15		nal information (Se	e NOTE B11)								
	кесус	lable rate: 72.4%									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1