



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo			
Company name *	Brother International Europe				
Contact information *	Stephen Kimber				
e-mail address	steve.kimber@brother.co.uk				
Internet site *	www.brother.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Label Printer					
Commercial name *	PT-P950NW					
Model number *	PT-P950NW					
Issue date *	8/August/2016					
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		PT-P950NW	Logo				
Issue dat	ssue date * 8/August/2016						
Product environmental attributes - Legal requirements				Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations	OTE DAY				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		<u></u>		
P1.2*	Comment: Legal reference has no maximum concentration value.						
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.		1-			
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychyl (PCT) in preparations (see legal reference).	lorinated				
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above (all reference).),5 μg/cm ² /v	week			
P1.7*	REACH	nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):				
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	11			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries			\boxtimes			
P3		nity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
	pe3=368	.pport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=p950nweuk&fla 8&type2=10004	ang=Englis	sh&ty ————			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	Required	d information is; given in item P15 or added to this document, available at (add URL):			Ш		
		upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=p950nweuk&fla 065&type2=10004	ang=Englis	sh&ty			
P4		nable materials					
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	•			\boxtimes	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).						
P4.3*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).					
P5.3*	Protocol Commer	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀			
P6	Treatment information						
P6.1*	ıntormatı	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	PT-P950NW	Logo	
Issue date *	8/August/2016		

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Pione and the recording			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		井	- -
			屵	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		부	<u> </u>
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		\boxtimes	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC/PS Material type: PS-HI			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	$\overline{}$	X	$\overline{}$
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
D7 10	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	<u> </u>	井	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		Ш	
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or 			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber * PT-P950NW Logo								
Issue date	*	8/August							
		•							
Product (Product environmental attributes - Market requirements (continued) Requirement me								
Item									
		erial and substance requirements (continued) passed plastic material content is used in the product (See NOTE B7):							
P7.21*	Biobase	d plastic ma	aterial content is used i	in the product (See	NOTE B7):				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
	or b) The weight of the biobased plastic material is g.								
P7.22*			ee from mercury, i.e. le pecify: Number of lam		p. mum mercury content per	· lamp:	mg		
P8	Batteries	S							
P8.1*		hemical co	·						\boxtimes
P9			on (See NOTE B8)						
P9.1	For the p	product the	following power levels	or energy consump	tions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Si modes and to		energy	У
Sleep mod STAR® Op (OM) produ	perational		W	W	1.186 W				
Standby/of ENERGY S Mode (OM	STAR Ope	erational	W	W	0.254 W				
TEC value TEC produ	for ENER		kWh/week	kWh/week	kWh/week				
(TEC= Typ	ical Energ	ЭУ							
Printing			W	W	63.6 W				
			W	W	W				
			W	W	W				
			W	W	W				$\overline{}$
			W	W	W				$\overline{}$
			W	W	W				$\overline{}$
External Po	ower Supr	olv Efficienc	Level (International	Efficiency Marking F	Protocol) * :				ᆸ
Print/Scan		:	<u> </u>		,				$\overline{}$
	•	energy say	<u> </u>						
P9.2*									
P10	Emissio			•	·				
			Declared according to	ISO 9296 (See NOT	TE B9)				
P10.1	Mode	M	lode description		Statistical upper limit A-we L _{WA,c} (B)	eighted sound	power level,		
	Idle	*		*	•				
	Operatio			*	•	-			
	Other mo	ode							
	Measure	ed according	· <u> </u>	ECMA-74	by ECMA 74\				
Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		PT-P950NW					Logo				
Issue date	sue date * 8/August/2016										
Product	oduct environmental attributes - Market requirements (continued) Requirement met										
Item	CITVITOIT	ineritar attributes	- Market requ	unements (t	zontinaea)			IXC	Yes	No	n.a.
	Chemic	cal emissions from p	orinting produ	cts (See NOT	E B10)						
P10.2*		rformed according to				sion Rates from	Electronic				
		ent (ISO/IEC 28360)									
P10.3	Typical	emission rate (operat	tion phase) is (ı	mg/h):							
	Electrophotographic devices: Ozone Dust Styrene Benzene TV										
	Ink devices: Dust Styrene Benzene					TVOC				Ħ	
	Note: co	ompliance with maxim	num emission r	ates in eco lat	els to be decla	red in P14.					
P11		nable materials for									
P11.1*	A Safet	y Data Sheet (SDS) is	s available for t	he ink/toner p	reparation, ever	n if not legally re	quired (see	P4.3).	\boxtimes		
P11.2*	Paper of EN 122	containing post-consi 81.	umer recycled	fibers can be	used, provide	d that it meets	the require	ements of			
P11.3*	2-sided	(duplex) printing/copy	ying is an integ	rated product	function.						\boxtimes
P11.4*	The pro	duct is delivered to e	nd-user with de	fault auto-dup	lex enabled.						
P13		ing and documenta									
P13.1*											
P13.2*	Product plastic primary packaging is free from PVC.										
P13.3*											
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	Ùser ar	only complete this its d product documenta please specify:									
	Totally	chlorine-free									
	Elemental chlorine-free										
	Process	sed chlorine-free									
P14		ary programs:									
P14.1	The pro	duct meets the requir	rements of the	following volui	ntary program(s):					
	ENERGY STAR® Criteria version: 2.0 Date: Product category: Imaging Equipment 17/March/2016										
	Eco-lab		Criteria versio		Date:		ct category:				
P15	Eco-label: Criteria version: Date: Product category: Additional information (See NOTE B11)										
P 10	Recyc	lable rate: 79%	ENUIE BII)								
	Necyc	iable late. 13/0									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1