



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product * Label Printer				
Commercial name *	TD-2130NHC			
Model number *	TD-2130NHC			
Issue date *	14/September/2016			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		TD-2130NHC	Logo				
Issue dat	e *	14/September/2016					
Product environmental attributes - Legal requirements			Require	ment	met		
Item				Yes	No	n.a.	
P1		ous substances and preparations	OTE DA				
P1.1*	, , , , , , , , , , , , , , , , , , , ,						
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			Ш		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.					
P1.4*							
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/weel	k 🗌			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):				
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal				
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadne)	nium. (See lega	I			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				\boxtimes	
P3		nity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements):					
	&type3=	support.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=lptd2130neuk =368&type2=10004	&flang=Englis	h			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	Required information is; given in item P15 or added to this document, available at (add URL):						
		support.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=lptd2130neuk =10065&type2=10004	&flang=Englis	h			
P4		nable materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (see				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference).	\boxtimes			
P4.3*	are Com applicab	Introduction/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled accile regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to				
P5	Product	packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.		_			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature elegal reference).					
P5.3*	Protocol Comme	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀			
P6		nt information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TD-2130NHC	Logo	
Issue date *	14/September/2016		

Product	environmental attributes - Market requirements (See General NOTE GN below)			
-		equire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		\boxtimes	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>ABS</i> Material type: <i>PC/PS</i> Material type: <i>POM</i>			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15			$\overline{}$	
1 7.10	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	ш	ш	ш
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$	
F 7.10	Marking: FR(40)	\boxtimes	Ш	Ш
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	-		
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\square		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	-
	assigned the following Risk phrases; and Hazard statements:	ш		ш
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is %.			
1	or b) The weight of recycled material is g.			
	2,ss.g or roof order material to g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	TD-2130N	HC			Logo		
Issue date	*	14/Septer	nber/2016					
Product	Product environmental attributes - Market requirements (continued) Requirement met							
Item							Yes No	n.a.
D7.04*			ance requirements (c		NOTE DZ			
P7.21*		•	terial content is used i	•	,			. 🗀
	a) Of t				swered; ic material content (calculate	ed as a perc	entage of	
	b) The	weight of t	he biobased plastic ma	aterial is g.				
P7.22*			ee from mercury, i.e. le becify: Number of lamp		np. imum mercury content per l	amp:	mg	
P8	Batteries	S						
P8.1*		hemical co	•					\boxtimes
P9			on (See NOTE B8)					
P9.1	For the p	product the	following power levels	or energy consum	ptions are reported:			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC		Reference/S modes and t	tandard for energy est method *	/
Sleep mod STAR® Or			W	W	1.77 W			
(OM) prodi	ucts							
Standby/of			W	W	0.465 W			
ENERGY S Mode (OM								
TEC value TEC produ	for ENER		kWh/week	kWh/week	kWh/week			
(TEC= Typ	oical Energ	ıv						
(120 1)		99	W	W	W			
			W	W	W			
			W	W	W			$\overline{}$
			W	W	W			市
			W	W	W			+
			W	W	W			+
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking	Protocol) *:			$\overline{}$
Print/Scan	Speed *	:	9 images per mi	inute				$\overline{\Box}$
Default tim	e to enter	energy sav	e mode: 5 minu	tes				
P9.2*	Informati	on about th	e energy save function	n is provided with th	he product.			
P10	Emissio							
5.0.1			Declared according to					
P10.1	Mode	M	ode description		Statistical upper limit A-weight $L_{WA,c}$ (B)	ghted sound	power level,	
	Idle	*			*			
	Operatio				*			
	Other mode							
	Measure	d according		ECMA-74	I h., FONA 74\			
			Other	(only if not covered	Dy ECIVIA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Issue date * 14/September/2016							
14/September/2010							
duct environmental attributes - Market requirements (continued) Requirement met							
Item Yes	No	n.a.					
Chemical emissions from printing products (See NOTE B10)							
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic							
Equipment (ISO/IEC 28360) , other specify:							
P10.3 Typical emission rate (operation phase) is (mg/h):							
Electrophotographic devices: Ozone Dust Styrene Benzene TVOC							
Ink devices: Dust Styrene Benzene TVOC							
Note: compliance with maximum emission rates in eco labels to be declared in P14.							
P11 Consumable materials for printing products							
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.							
P11.3* 2-sided (duplex) printing/copying is an integrated product function.		\boxtimes					
P11.4* The product is delivered to end-user with default auto-duplex enabled.		\boxtimes					
P13 Packaging and documentation							
P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.56							
Product packaging material type(s): LDPE weight (kg): 0.36 Product packaging material type(s): weight (kg):	Product packaging material type(s): LDPE weight (kg): 0.36						
Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC.							
For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: %							
P13.4* Specify media for user and product documentation (tick box):							
Electronic 🔲, Paper 🔲, Other 🗌							
P13.5 (Please only complete this item if paper documentation used)							
User and product documentation on paper media is chlorine-free: If Yes, please specify:							
Totally chlorine-free							
Elemental chlorine-free	\cdot						
Processed chlorine-free							
P14 Voluntary programs:							
P14.1 The product meets the requirements of the following voluntary program(s):							
ENERGY STAR® Criteria version: 2.0 Date: Product category: Imaging Equipm 15/December/20 14	nent						
Eco-label: Criteria version: Date: Product category:							
Eco-label: Criteria version: Date: Product category:							
P15 Additional information (See NOTE B11)							
Recyclable rate: 75%							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1