



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	beathas
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	brother, at your side
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Mobile PRINTER				
Commercial name *					
Model number *	RJ-4040				
Issue date *	2012/01/24				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requirem	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	RJ-4040		
Issue date *	2012/01/24	Logo	

Product	roduct environmental attributes - Legal requirements			nt met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			•
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium	\boxtimes		
	max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max	_	_	
	0,1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference).			
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl	\boxtimes		
	(PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	\boxtimes		
	at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines			\boxtimes
	max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			\boxtimes
	microgram/cm2/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			\boxtimes
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
D0.0*	provided in user manual. (See legal reference)		_	<u> </u>
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			\boxtimes
DO O*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_	_
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes	Ш	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
Da	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling		_	
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	<u>Ц</u>	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	X	\Box	
	with legally required standards for radio and telecommunication devices (see legal reference).			ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		$\overline{}$	
	legal reference and Note 1).	ш	ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		\Box	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	- -	₩	
P4.3				\boxtimes
	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
DE	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium			
F3.1		\boxtimes		
DE 0*	max 0.01% by weight of these together. Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		$\overline{}$	
P5.2*			<u></u> _	<u> </u>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
1	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	RJ-4040		
Issue date *	2012/01/24	Logo	

Produc	oduct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information	<u> </u>				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	ackslash		
P7	Design Disassembly recycling					
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable	\square	$\overline{}$			
P7.2*	Plastic materials in covers/housing have no surface coating.		X	∺		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		X	Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ		
P7.9.	Spare parts are available after end of production for: 7 years			Ħ		
P7.10	Service is available after end of production for: 7 years			Ħ		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC Material type: TPE Material type:					
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)	\boxtimes				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):					
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	_	_	_		
	Alt. 2 Chamical exactings of flame retardants in printed circuit heards (without components) > 25g according					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:	Ш	Ш			
P7.18	Alt. 1					
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:			_		
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: CAS #:					
	3. Chemical name: CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		Ш			
	one mean epocheduloric or harmo retained in place of parts 2 20g according 100 To 10 T.					
P7.19	Of total plastic parts' weight >25g, recycled material content is 0.1%.					
P7.20	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Battery chemical composition: <i>Li-ion</i> (option)					
P8.2	Batteries meet the requirements of the following voluntary program/s:			\dashv		

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	RJ-4040		
Issue date *	2012/01/24	Logo	

Produc	oduct environmental attributes - Market requirements (continued) Requirement met						met		
Item			Yes No			n.a.			
P9									
9.1 For the product the following power levels or energy consumptions have been measured:									
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Star and test method	ndard for energy mod *	les	
OFF		0.30 W	0.29 W	0.33 W		Chargeable bat	tery non connection	1	
Stand by	/	0.97 W	0.93 W	1.16 W		Power switch o	n		
Charge		10.46 W	10.45 W	10.50 W					
USB Pri	nt	23.79 W	23.84 W	24.32 W		Print pattern of	our specification		
RS232C	Print	24.18 W	24.22 W	24.45 W		Print pattern of	our specification		
Wi-Fi Pr	int	26.19 W	26.43 W	26.91 W		Print pattern of	our specification		
charger p	power supply / olugged in the wall t disconnected from	0.22 W	0.21 W	0. 27 W					
PTEC * Typical E	Energy Consumption	W	W	W					
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
Default ti	me to enter energy s	ave mode: 10 minute	es	-1		<u> </u>			
P9.2*	Information about the	ne energy save functio	n is provided with th	ne product.				П	
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requiremer version Tier:	nts of the following v	oluntary progran	n/s:				
P10	Emissions								
	Noise emission –	Declared according to	ISO 9296						
P10.1	Mode N	lode description		Declared A-weighted sound power level $L_{W\!Ad}$ (B)			A-weighted e level $L_{p{\rm Am}}$ (dB) Bystander positions (only if product is operator attentions	s not	
	Idle *			*		of Desk side 🔼	20		
	Operation *			*			60. 7		Ш
	Other mode								
	Measured accordin	_	ECMA-74 (only if not covered	by ECMA-74 wit	h L _{pAn}	measurement dis	stance m)		
P10.2								\boxtimes	
	Chemical emissions from printing products								
P10.3*		ording to ECMA-328 (ndard, other	specif	fy:			\boxtimes
P10.4	* *	te (print phase) is (mg/							
	Dust Ozone Styrene Benzene TVOC								
P10.5	Chemical emission requirements of the following voluntary program/s Dust Ozone Styrene Benzene TVOC								
	Electromagnetic emissions								
P10.6	0.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:								

Model number *	RJ-4040		
Issue date *	2012/01/24	Logo	

Produc	t environmental attributes - Market requirements (continued)	Requiren	nent	met
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\times
P12	Ergonomics for computing products			
P12.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P12.2*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.3*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0. 591 Product packaging material type(s): LDPE weight (kg): 0. 024 Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes	П	П
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%			
P14	Additional information			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1