

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	In One Electro-photographic Printer			
Commercial name *	CP-9015CDW			
Model number *	DCP-9015CDW			
Issue date *	10/June/2015			
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	DCP-9015CDW	
Issue date *	10/June/2015	Logo

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichlorothana, method bramida (car largel reference). Comment Lorgel reference has no maximum.			
P1.4*	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\times		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	DCP-9015CDW				
Issue da	te *	10/June/2015 Logo				
	_					
-		mental attributes - Market requirements - Environmental conscious design	Require			
Item P6		atory to fill in. Additional information regarding each item may be found under P14. nt information	Yes	No	n.a.	
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
. /	•	mbly, recycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		Π	Ē	
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		Ē	Ħ	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		H	H	
		lifetime				
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			Ħ	
P7.9.		arts are available after end of production for: 7 years			Ħ	
P7.10		s available after end of production for: 7 years			\dashv	
		and substance requirements				
P7.11*		cover/housing material type:				
		type: PS-HI Material type: PC+ABS-FR(40) Material type: ABS				
P7.12		I cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		\square		
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21.					
	(See No					
P7.16	Flame re Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>	\boxtimes			
P7.17		al specifications of flame retardants in printed circuit boards >25g (without components): (additive) \square , TBBPA (reactive) \square , Other; chemical name: , CAS #:				
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:				
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%: ent: No legal limits exist, this is a market requirement.	in 🗌			
	1. Chem 2. Chem 3. Chem Alt. 2	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	FR(40),					
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20		plastic parts' weight >25g, recycled material content is 0.05%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	If mercu	urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batterie					
P8.1*	-	chemical composition:				
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\square	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num												
Issue date	*	10/June/2015 Logo										
	Product environmental attributes - Market requirements (continued) Requirement met											
Item	-									Yes	s No	n.a.
P9 9.1		consumpti	on following power levels	<u> </u>	ntiona ara ranar	tod						
-							<u> </u>					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	230 V AC	at	Reference modes and		Standard method *	for	energy	
Printing			W	W	365 W							
Copying		W	W	380 W								
Ready			W	W	70 W							
Sleep			W	W	7.0 W							
Deep Slee	p		W	W	1.4 W							
Off			W	W	0.05 W							
EPS No-loa			W	W	W							\square
(External p charger plu outlet but d the product	ugged in th	ne wall										
PTEC * Typical Ene	ergy Cons	sumption	W	W	W							
TEC * Typical Ene	ergy Cons	sumption	kWh/week	kWh/week	1.2 kWh/week							
ETEC * Annual Ene	ergy Cons	sumption	kWh/year	kWh/year	kWh/ye	ear						
Display res	solution*	: Me	gapixels									
Print Speed	d *	: 18 Images	s per minute									
Default tim	e to enter	energy sav	ve mode: 3 minute	es								
P9.2*			ne energy save functio	n is provided with t	he product.					X		H
P9.3*	The proc ENERG Others s	duct meets Y STAR® v pecify:	the energy requirement version: 2.0 Tier:		voluntary progra		NT					
P10	Emissio			100 0000								
P10.1	Moise ei Mode	М	Declared according to ode description ono Copy Speed:180		Declared				A-weighte			
			olor Copy Speed:180		A-weighted sound power		sound pre	ssure l				
					level L_{WAd} (B)	Oper	ator positio Deskto		-		ositions	
							or Desk sid	e 🗌	only if) opera		ct is not tended)	
	Idle		Ready		* 4.38				•			
	Operatio		Copying(mono)		* 6.41							
	Other me		Copying(color)		6.42							
	Measure	ed accordine		ECMA-74 Z171 (only if not co	vered by ECMA	-74 witł	h L _{pAm} mea	asurem	ient distai	nce		
P10.2	The proc	duct meets	the acoustic noise req	uirements of the fo	llowing voluntary	progra	am/s: RAL -	UZ122		X		

* Conformity with "Acoustic noise requirements" of RAL-UZ122 can be applicable to 18cpm model.

Model nur	nber *	DCP-9015CDW					
Issue date *		10/June/2015	Logo				
Product	R	equire	ment	met			
Item				Yes	No	n.a.	
		al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify: RAL-0	JZ122	\square			
P10.4	Typical emission rate (print phase) is (mg/h):						
D / 0 D		Dust Ozone Styrene Benzene TVOC					
P10.5		al emission requirements of the following voluntary program/s are met for : Dust 🛛 Ozone 🛛 Styrene 🖾 Benzene 🖂 7	VOC 🔀				
		nagnetic emissions					
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the follo /s:	wing voluntary			\square	
P11		hable materials for printing products					
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	, ,	\square			
P11.2*	EN1228		e requirements of	\boxtimes			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		\boxtimes			
P12	Ergonomics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.			\boxtimes	
P12.2*	The phy:	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes	
P13		ng and documentation					
P13.1*	Product	packaging material type(s): CRGTD-FBRBRD weight (kg): 2.95 packaging material type(s): PS-E weight (kg): 0.51 packaging material type(s): weight (kg):					
P13.2*		plastic packaging is free from PVC.		\boxtimes			
P13.3*		nedia for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 📃					
P13.4*	For pape fiber: 1	er user and product documentation, please specify contained percentage of post-cor	sumer recycled				
Rev. P13.5	User and	d product documentation do not contain chlorine bleached paper		\square			
P14	Addition	nal information (See Note B4)					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19