

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	All In One Inkjet Printer	
Commercial name *	DCP-J152W	
Model number *	DCP-J152W	
Issue date *	09/September/2014	
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	DCP-J152W		
Issue date *	09/September/2014	Logo	

P1.1* P	azardous substances and preparations roducts do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	Yes	No	n.a.
P1.1* P	roducts do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent			
			_	
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
	roducts do not contain Asbestos (see legal reference). comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3* P	roducts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
tri	ydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	oncentration values. roducts do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated			
te	erphenyl (PCT) in preparations (see legal reference).			
th	roducts do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
Т	extile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) ris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	extile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\square$
	romatic amines. (See legal reference and Note B1)			
	Vooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\mathbf{X}$
	entachlorophenol and derivatives (see legal reference).	_	_	_
	comment: Legal reference has no maximum concentration values.			
P1.9* P	arts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 nicrogram/cm <sup>2</sup> /week (see legal reference).			$\boxtimes$
	comment: Max limit in legal reference when tested according to EN1811:1998.			
	EACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	ww.brother.eu/reach			
P2 B	atteries			
	the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			$\boxtimes$
	nore than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
рі	narked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is rovided in user manual. (See legal reference)			
	utton cells used in the product do not contain more than 2% by weight of mercury. Other batteries or ccumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			$\boxtimes$
P2.3* B de	atteries and accumulators are easily removable by either users or service providers (as dependent on the esign of the product). Exception: Batteries that are permanently installed for safety, performance, medic r data integrity reasons do not have to be "easily removable". (See legal reference)	e 🗌		
	afety, EMC connection to the telephone network and labeling			
	he product complies with legally required safety standards as specified (see legal reference).			
	he product complies with legally required standards for electromagnetic compatibility (see legal		╞	H
re	eference).			
w	product is intended for connection to a public telecom network or contains a radio transmitter, it complie ith legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
	he product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
	consumable materials			
le	a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see agal reference and Note B1).			$\boxtimes$
	ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\square$		
рі	the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the roduct/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these equirements is available (see legal reference).			
	roduct packaging			
P5.1* P he	ackaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar exavalent chromium by weight of these together.	id 🔀		
P5.2* P	lastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P	he product packaging material is free from ozone depleting substances as specified in the Montre protocol (see legal reference). comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * DCP-J152W								
Issue dat	te *	09/September/2014 Logo						
Product environmental attributes - Market requirements - Environmental conscious design Requirement met								
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							
P7	Design							
		mbly, recycling						
P7.1*		t have to be treated separately are easily separable						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.	$\square$					
P7.3*		arts >100g consist of one material or of easily separable materials.	$\square$					
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\times$					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\square$					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Π				
	Product	lifetime						
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		$\boxtimes$				
P7.8*	Upgradir	g can be done using commonly available tools			$\square$			
P7.9.	Spare pa	arts are available after end of production for: 7 years						
P7.10	Service i	s available after end of production for: 7 years						
	Material	and substance requirements						
P7.11*	Product	cover/housing material type:						
		type: PS-HI Material type: Material type:						
P7.12		I cable insulation materials of power cables are PVC free.		$\square$				
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		$\boxtimes$				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21.							
P7.16					$\square$			
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components):						
	TBBPA (additive)       , TBBPA (reactive)       , Other; chemical name:       , CAS #:         Alt. 2       Chemical specifications of flame retardants in printed circuit boards (without components) >25g according							
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:						
		ent: No legal limits exist, this is a market requirement. ical name:, CAS #:						
		ical name: , CAS #:						
		ical name: , CAS #:						
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20	Of total p	plastic parts' weight >25g, recycled material content is 0.32%.						
P7.21		plastic parts' weight >25g, biobased material content is 0%.						
P7.22		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg	$\boxtimes$					
P8	Batteries							
P8.1*		hemical composition:			$\boxtimes$			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			$\boxtimes$			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	DCP-J152W		
Issue date *	09/September/2014	Logo	

100         VAC         115         VAC         230         VAC         modes and test method         Image: Copying         Image: Copying <thimage: copying:="" copying<="" th="">         Image: Copying: Copying<th colspan="7">Product environmental attributes - Market requirements (continued) Requirement met</th><th>t met</th></thimage:>	Product environmental attributes - Market requirements (continued) Requirement met							t met
9.1       For the product the following power levels or energy consumptions are reported:         Energy mode*       Power level at Power level at Power level at 20 VAC       Power level at 20 VAC       Reference / Standard for energy modes and test method*         Copying       W       W       16 W       modes and test method*         Copying       W       W       3 W       modes and test method*         Steep       W       W       3 W       Image: Copying C						n.a.		
Energy mode '       Power level at 100 VAC       Power level at 115 VAC       Reference / Standard for energy modes and test method ''         Copying       W       W       W       16 W       modes and test method ''         Ready       W       W       3 W       Image: standard for energy modes and test method ''       Image: standard for energy modes and test method ''         Steep       W       W       3 W       Image: standard for energy mode ''       Image: standard for energy modes and test method ''         Off       W       W       W       0.2 W       Image: standard for energy mode ''       Image: standard for energy mode ''         Off       W       W       W       W       Image: standard for energy mode ''       Image: standard for energy mode								
100         VAC         115         VAC         230         VAC         modes and test method         Image: Copying         Image: Copying <thimage: copying:="" copying<="" th="">         Image: Copying: Copying<td>9.1 For the product the</td><td colspan="6">9.1 For the product the following power levels or energy consumptions are reported:</td><td></td></thimage:>	9.1 For the product the	9.1 For the product the following power levels or energy consumptions are reported:						
Ready       W       W       3       W       Image: standard st	Energy mode *				at		for energy	
Steep       W       W       0.7 W         Off       W       W       0.2 W       Image: Construct of the state of the st	Copying	W	W	16 W				
Off       W       W       0.2 W       Image: Construction of the set of the	Ready	W	W	3 W				
W     W     W       W     W     W       W     W     W       EPS No-load     W     W       Entropy of the product.     W     W       PTEC *     W     W       Typical Energy Consumption     KWh/week     KWh/week       TEC *     KWh/week     KWh/week       Tec *     KWh/year     KWh/year       Annual Energy Consumption     KWh/year     KWh/year       Display resolution*     Megapixels     Image prevention       Print Speed *     : 27(mono) Images per minute     Image prevention       Default time to enter energy save mode: 5 minutes     Image prevention       P9.3*     The product meets the energy requirements of the following voluntary program/s:       ENERGY STAR® version: 2.0 Tier:     Product category: IMAGING EQUIPMENT       Others specify     Mode description     Declared A-weighted sound pressure level L <sub>p</sub> Am (dB)       Operator position     Operator position     Operator position       Information about the energy requirements of the following voluntary program/s:     Image positions	Sleep	W	W	0.7 W				
W     W     W       EPS No-load     W     W       EPS No-load     W     W       W     W     W       Charger plugged in the wall outlet but disconnected from the product.)     W     W       PTEC*     W     W       TPEC*     W     W       Tpical Energy Consumption     KWh/week     KWh/week       TEC*     KWh/week     KWh/week       Annual Energy Consumption     KWh/year     KWh/year       Display resolution* :     Megapixels     M       Print Speed*     : 27(mono) Images per minute     Images per minute       Default time to enter energy save mode: 5 minutes     Images       P9.2*     Information about the energy save function is provided with the product.       P9.3*     The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier:       P10     Emission - Mode description     Declared A-weighted sound prower level L <sub>WAd</sub> (B)     Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)       Operator position     Desktop     On besk side     for yor duct is not operator attended)	Off	W	W	0.2 W				
EPS No-load       W       W       W       W         (External power supply / charger plugged in the wall outlet but disconnected from the product.)       W       W       W         PTEC * Typical Energy Consumption       W       W       W       W         TEC * Typical Energy Consumption       kWh/week       kWh/week       kWh/week       M         TEC * Typical Energy Consumption       kWh/week       kWh/week       kWh/week       M       M         Erec * Annual Energy Consumption       kWh/year       kWh/year       kWh/year       M       M         Display resolution* :       Megapixels       M       M       M       M       M         Print Speed * : 27(mono) Images per minute       Importantion about the energy save function is provided with the product.       Importance       Importance <td></td> <td>W</td> <td>W</td> <td>W</td> <td></td> <td></td> <td></td> <td></td>		W	W	W				
(External power supply / charger plugged in the wall outle but disconnected from the product.)       W       W       W         PTEC * Typical Energy Consumption       W       W       W       X         TEC * Typical Energy Consumption       kWh/week       kWh/week       kWh/week       X         TEC * Typical Energy Consumption       kWh/year       kWh/year       kWh/year       X         Terc * Annual Energy Consumption       kWh/year       kWh/year       KWh/year       X         Display resolution* :       Megapixels       X       X         Print Speed*       : 27(mono) Images per minute       Images per minute <td></td> <td>W</td> <td>W</td> <td>W</td> <td></td> <td></td> <td></td> <td></td>		W	W	W				
Typical Energy Consumption       kWh/week       kWh/week       kWh/week       X         Typical Energy Consumption       kWh/week       kWh/week       kWh/week       X         Erec *       kWh/year       kWh/year       kWh/year       X         Display resolution* :       Megapixels       X         Print Speed *       : 27(mono) Images per minute       X         Default time to enter energy save mode:       5 minutes       X         P9.2*       Information about the energy save function is provided with the product.       X       X         P9.3*       The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier:       Product category: IMAGING EQUIPMENT       X       X         P10       Emissions       X       Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)       X       X         P10.1       Mode       Mode description       Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)       X         Desktop       Only if product is not operator attended       X       X       X	(External power supply / charger plugged in the wall	W	W	W				
Typical Energy Consumption       kWh/year       kWh/year       kWh/year       kWh/year         ETEC * Annual Energy Consumption       kWh/year       kWh/year       kWh/year       kWh/year         Display resolution* :       Megapixels       kWh/year       kWh/year       kWh/year       kWh/year         Display resolution* :       Megapixels       kWh/year       kWh/year       kWh/year       kWh/year         Display resolution* :       Megapixels       kWh/year       kWh/year       kWh/year       kWh/year         Pint Speed *       :       27(mono) Images per minute       images per minute       images per minutes       images per minutes <td>PTEC * Typical Energy Consumption</td> <td>W</td> <td>W</td> <td>W</td> <td></td> <td></td> <td></td> <td></td>	PTEC * Typical Energy Consumption	W	W	W				
Annual Energy Consumption       Display resolution* : Megapixels       Image: Second S	TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	eek			
Print Speed *       : 27(mono) Images per minute         Default time to enter energy save mode:       5 minutes         P9.2*       Information about the energy save function is provided with the product.         P9.3*       The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version:         ENERGY STAR® version:       2.0 Tier:         Product category:       IMAGING EQUIPMENT         Others specify:       Images emission – Declared according to ISO 9296         P10       Emissions         Noise emission – Declared according to ISO 9296         P10.1       Mode         Mode       Mode description         Declared       A-weighted         sound power       level L <sub>WAd</sub> (B)         Operator position       Bystander positions         Operator position       Operator position         Obsk side       (only if product is not operator attended)	ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	ear			
Default time to enter energy save mode: 5 minutes       Image: Constraint of the second structure of the secon	Display resolution* : Me	I						
P9.2*       Information about the energy save function is provided with the product.       Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier: Product category: IMAGING EQUIPMENT       Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier: Product category: IMAGING EQUIPMENT         P10       Emissions         Noise emission – Declared according to ISO 9296         P10.1       Mode         Mode       Mode description         Declared sound power       Prover the product result of the product is not operator attended)	Print Speed * : 27(mono)	Images per minute						
P9.2*       Information about the energy save function is provided with the product.       Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier: Product category: IMAGING EQUIPMENT       Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier: Product category: IMAGING EQUIPMENT         P10       Emissions         Noise emission – Declared according to ISO 9296         P10.1       Mode         Mode       Mode description         Declared sound power       Prover the product result of the product is not operator attended)	Default time to enter energy say	ve mode: 5 minutes						
ENERGY STAR® version: 2.0 Tier: Product category: IMAGING EQUIPMENT         Others specify:       Declared according to ISO 9296         P10       Emissions         Noise emission – Declared according to ISO 9296         P10.1       Mode       Mode description       Declared A-weighted sound power level $L_{pAm}$ (dB)         Operator position       Bystander positions       Operator position       Bystander positions         Image: Colored according to ISO 9296       Image: Colored A-weighted sound power       Image: Colored A-weighted sound power       Image: Colored A-weighted sound power         Image: Colored A-weighted A-weighted sound power       Image: Colored A-weighted sound power       Image: Colored A-weighted sound power       Image: Colored A-weighted sound power         Image: Colored A-weighted A-weighted A-weighted sound power       Image: Colored A-weighted sound power       Image: Colored A-weighted sound power       Image: Colored A-weighted Sound power         Image: Colored A-weighted A-weighted A-weighted A-weighted Sound power       Image: Colored A-weighted Sound power       Image: Colored A-weighted Sound Power         Image: Colored A-weighted A-weighted A-weighted A-weighted A-weighted Sound Power       Image: Colored A-weighted Sound Power       Image: Colored A-weighted Sound Power         Image: Colored A-weighted A-weighted A-weighted A-weighted A-weighted A-weighted Sound Power       Image: Colored A-weighted A-weighted A-weighted A-weighted A-weighted A-weighte			n is provided with th	he product.				
Noise emission – Declared according to ISO 9296         P10.1       Mode       Mode description       Declared A-weighted sound power level L <sub>WAd</sub> (B)       Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)         Operator position       Bystander positions (only if product is not operator attended)	ENERGY STAR® v Others specify:					NT		
P10.1       Mode       Mode description       Declared       Declared       Sound pressure level       L <sub>pAm</sub> (dB)         Image: black								
			100 9290	A-weighted sound power	Оре	sound pressure level $L_{pA}$ rator position Bystar Desktop (only if	Am (dB)	
Idle * Ready * 2.97	Idle *	Ready		* 2.97		5001		
Operation * Copying * 5.98 (mono)	Operation *			* 5.98 (mono)				
Other mode Copying 5.77 (color)	Other mode	Copying		5.77 (color)				
Measured according to: ISO7779 ECMA-74	Measured according							
Other RAL-UZ171 (only if not covered by ECMA-74 with LpAm measurement distance m)           P10.2         The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ171         Image: Comparison of the following voluntary program/s: RAL-UZ171	P10.2 The product meets							

Model nur	nber *	DCP-J152W				
Issue date	ssue date * 09/September/2014 Logo		Logo			
Product environmental attributes - Market requirements (continued) Requirements						met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify: RAL	-UZ171	$\square$		
P10.4	Typical emission rate (print phase) is (mg/h):					
		Dust Ozone Styrene Benzene TVOC				
P10.5		I emission requirements of the following voluntary program/s are met for :		$\boxtimes$		
	_		TVOC 🔀			
P10.6		nagnetic emissions er display meets the requirement for low frequency electromagnetic fields of the fol	lowing voluntory			
P10.6	program		lowing voluntary			$\bowtie$
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see P4.3).	$\square$		
P11.2*	Paper co	ontaining post-consumer recycled fibers can be used, provided that it meets th	e requirements of		Ħ	Ē
	EN1228	I				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12		nics for computing products				
P12.1*					$\boxtimes$	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					$\square$
P13		ng and documentation				
P13.1*	Product	packaging material type(s): <b>PS</b> weight (kg): <b>0.11</b>				
		packaging material type(s): <i>PE</i> weight (kg): <i>0.05</i> packaging material type(s): <i>PAPER</i> weight (kg): <i>0.8</i> 7				
P13.2*		plastic packaging is free from PVC.		$\square$		
P13.3*		nedia for user and product documentation (tick box):				Ħ
	Electroni	c 🔀, Paper 🔀, Other 🗌				
P13.4*	For pape	r user and product documentation, please specify contained percentage of post-co	onsumer recycled			
_	fiber: 1					
Rev. P13.5	User and	product documentation do not contain chlorine bleached paper		$\boxtimes$		
P13.5	Addition	al information (See Note B4)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19