

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	II-In-One Electro-photographic Printer			
Commercial name *	CP-L2560DW			
Model number *	CP-L2560DW			
Issue date *	25/July/2014			
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	DCP-L2560DW		
Issue date *	25/July/2014	Logo	

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_	_	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\square
P1.8*	aromatic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
F 1.0	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			Ø
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			\square
	microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			\square
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials	<u> </u>		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		DCP-L2560DW				
Issue date *		25/July/2014	Logo			
1						
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement me					
Item		Yes	No	n.a.		
P6	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Treatment information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square		
P7	Design					
	Disasse	mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			一一	
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ	Ē
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tool		H	
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	<u> </u>
17.0	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives				
P7.8*		ig can be done using commonly available tools		— <u> </u>	╞	
P7.9.		arts are available after end of production for: 7 years				<u> </u>
P7.10		s available after end of production for: 7 years				
D7 44		and substance requirements				
P7.11*		cover/housing material type: type: DC ABS FR(40) Actorial type: ABS FR(40) Actoria				
P7.12		type: PS-HI Material type: PC+ABS FR(40) Materia I cable insulation materials of power cables are PVC free.	al type: ABS	<u> </u>		
				<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free				<u> </u>
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			Ц.	_ <u> </u>
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in	IEC61249-2	-21.	\bowtie	
D7.40	(See No					
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17	Alt. 1			_	N	_
		I specifications of flame retardants in printed circuit boards >25g (without compone	ents):		\bowtie	
	IBBPA (additive) 🔀, TBBPA (reactive) 🔀, Other; chemical name: , CAS #:				
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >	>25g accordir	ng		
	ISO 104		U			
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances	s/preparations	s in 📃		
		ations above 0.1%:				
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #: ical name: , CAS #:				
		ical name: , CAS #: ical name: , CAS #:				
	Alt. 2					
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(17)					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45	,		
P7.20		plastic parts' weight >25g, recycled material content is 0.5%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22		Irces are free from mercury		\boxtimes		
Do		y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8.1*	Batterie	s hemical composition:				
P8.2	Batteries	meet the requirements of the following voluntary program/s:				\boxtimes

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model numbe	-	CP-L256										
Issue date *	25,	/July/20	014				Log	0				
Product onv	Product environmental attributes - Market requirements (continued) Requirement met						mot					
Item	Inonmen	ilai all		quirements (con	lindedj				Ne	Yes	No	n.a.
	nergy con	sumpti	on									a.
		-	following power levels	or energy consump	tions are report	ted:						
Energy mode	*		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference modes and	/ Star test met		or	energy	
Printing/Copying			W	W	510 W							
Quiet Mode/Printing/Copying		ing	W	W	313 W							
Ready			W	W	60 W							
Sleep			W	W	6.6 W							
Deep Sleep			W	W	1.2 W							
Power Off			W	W	0.08 W							
EPS No-load (External power charger plugge outlet but disco the product.)	ed in the w	vall	W	W	W							
PTEC * Typical Energy	y Consum	ption	W	W	W							
TEC * Typical Energy	y Consum	ption	kWh/week	kWh/week	1.402 kWh/we	ek						
ETEC * Annual Energy	y Consum	ption	kWh/year	kWh/year	kWh/ye	ar						
Display resolut	ition* :	Me	gapixels									\square
Print Speed *	: 30	Images	s per minute									
Default time to	o enter ene	ergy sav	ve mode: 1 minutes									
P9.2* Inf	formation a	about th	e energy save function	on is provided with th	e product.					\boxtimes		
EN Ot	NERGY ST	TAR® v	the energy requirement ersion: 2.0 Tier:	nts of the following v Product category:			NT					
	missions	sion _ [Declared according to	150 0206								
	ode		ode description		Declared A-weighted sound power level $L_{\rm WAd}$ (B)		Decla sound press ator position Desktop or Desk side	E E	0	ər po	sitions	
Idl	le	*	Ready	*	4.75	<u> </u>	U DESK SIDE		operato	or att	ended)	
	peration		Printing(mono)		6.52							1
	ther mode		. /									
Me	easured a	ccording		ECMA-74								
P10.2 Th	no product	monte	Other RAL-U	Z171 (only if not cov	vered by ECMA-	-/4 witl	h L _{pAm} meas	urement	distance		m)	
10.4 11	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ171											

Model nur	nber *	DCP-L2560DW				
Issue date * 25/July		25/July/2014	Logo			
Product	Product environmental attributes - Market requirements (continued)					
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify: RAL-0	JZ171	\square		
P10.4	•••	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica E	Il emission requirements of the following voluntary program/s are met for : Dust 🛛 Ozone 🛛 Styrene 🖾 Benzene 🖾 7		\boxtimes		
		nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the follo /s:	wing voluntary			\square
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi		\square		
P11.2*	EN1228		requirements of	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes		
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.			\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): PAPER weight (kg): 2.4 packaging material type(s): PS-E weight (kg): 0.42 packaging material type(s): HDPE weight (kg): 0.07				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box):				
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-cor %	sumer recycled			
Rev. P13.5	User and	product documentation do not contain chlorine bleached paper			\square	
P14	Addition	al information (See Note B4)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19