

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

| Brand * | Brother | Logo |
|------------------------|--|------|
| Company name * | Brother International Europe | |
| Contact information * | Stephen Kimber steve.kimber@brother.co.uk | |
| Internet site * | www.brother.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|--|--|--|--|--|
| Type of product * | ctro-photographic Printer | | | |
| Commercial name * | -6180DW/HL-6180DWT | | | |
| Model number * | HL-6180DW/HL-6180DWT | | | |
| Issue date * | 09/September/2014 | | | |
| Intended market * | 🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other | | | |
| Additional information | ion | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Quality Control | | | |
|---------|--|-------------|----|--|
| Item | | Yes | No | |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 | | |

| Model number * | HL-6180DW/HL-6180DWT | | |
|----------------|----------------------|------|--|
| Issue date * | 09/September/2014 | Logo | |

| Product environmental attributes - Legal requirements | | | | met |
|---|--|-------------|----|-------------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | \boxtimes | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | \square | | |
| | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | \boxtimes | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | \boxtimes | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | \boxtimes |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | \square |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). | | | \square |
| D.(at | Comment: Legal reference has no maximum concentration values. | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach | \square | | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is | | | |
| P2.2* | provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or | | | |
| | accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference) | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | \square | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | 3 | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | \square | | |
| P4 | Consumable materials | <u> </u> | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | \boxtimes | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together. | d 🖂 | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \bowtie | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | al 🔀 | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model n | | HL-6180DW/HL-6180DWT | | | | |
|--------------|---|--|-------------|-------------|-------------|--|
| Issue date * | | 09/September/2014 Logo | | | | |
| Product | tenviron | mental attributes - Market requirements - Environmental conscious design | Require | mont | mot | |
| Item | | atory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. | |
| P6 | | nt information | 100 | | n.a. | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | | | | | |
| P7 | Design | | | | | |
| | | mbly, recycling | | | | |
| P7.1* | | at have to be treated separately are easily separable | \square | | | |
| P7.2* | Plastic m | naterials in covers/housing have no surface coating. | \boxtimes | | | |
| P7.3* | Plastic p | arts >100g consist of one material or of easily separable materials. | \boxtimes | | | |
| P7.4* | Plastic p | arts >25g have material codes according to ISO 11469 referring ISO 1043. | \square | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly available tools. | \square | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | Ē | | |
| | Product | | | | | |
| P7.7* | Upgradir | ng can be done e.g. with processor, memory, cards or drives | \square | | | |
| P7.8* | Upgradir | ng can be done using commonly available tools | | Ē | | |
| P7.9. | | arts are available after end of production for: 7 years | | | Ē | |
| P7.10 | | s available after end of production for: 7 years | | | Ē | |
| | | and substance requirements | | | | |
| P7.11* | | cover/housing material type: | | | | |
| | | type: PS-HI Material type: ABS Material type: PC+AB | S-FR(40) | | | |
| P7.12 | | I cable insulation materials of power cables are PVC free. | | \boxtimes | | |
| P7.13 | Electrica | I cable insulation materials of signal cables are PVC free | | \boxtimes | | |
| P7.14 | All cover | /housing plastic parts >25g are free from chlorine and bromine. | \square | | | |
| P7.15 | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. | | | | | |
| P7.16 | Flame re Marking: | etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40) | \boxtimes | | | |
| P7.17 | | al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | | | | |
| | ISO 104 | Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: | | | | |
| P7.18 | Alt. 1 Flame r concentr | etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%: | in 🗌 | | | |
| | 1. Chem 2. Chem 3. Chem Alt. 2 | ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: il specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | |
| P7.19 | Plastic p | arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) | | | | |
| P7.20 | Of total plastic parts' weight >25g, recycled material content is %. | | | | | |
| P7.21 | Of total r | plastic parts' weight >25g, biobased material content is 0%. | | | | |
| P7.22 | Light sou | urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg | | | | |
| P8 | Batterie | | | | | |
| P8.1* | - | chemical composition: | | | | |
| P8.2 | Batteries | meet the requirements of the following voluntary program/s: | | | \boxtimes | |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model nur | Model number * HL-6180DW/HL-6180DWT | | | | | | | | | | |
|--|---|------------|--|----------------------------------|--|---------|--|----------------------|-------------|---------|------|
| Issue date | e* 09/September/2014 Logo | | | | | | | | | | |
| | | | | | | | | | | | |
| | Product environmental attributes - Market requirements (continued) Requirement me | | | | | | | | | | |
| Item | F | | - | | | | | | Yes | No | n.a. |
| | P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: | | | | | | | | | | |
| 9.1 | | | | | | | | | | | |
| Energy mo | ode * | F | Power level at 100 V AC | Power level at 115 V AC | Power level 230 V AC | at | Reference / modes and test | Standard method * | for o | energy | |
| Printing | | | W | W | 701 W | | | | | | |
| Quiet Mod | le/Printing | | W | W | 340 W | | | | | | |
| Ready | | | W | W | 4.9 W | | | | | | |
| Sleep, WL | .AN:On | | W | W | 2.9 W | | | | | | |
| Deep Slee | p | | W | W | 0.8 W | | | | | | |
| Power Do | wn | | W | W | 0.50 W | | | | | | |
| charger plu outlet but c the product | ower supply / ugged in the wa disconnected fr | | W | W | W | | | | | | |
| PTEC * Typical End | ergy Consump | tion | W | W | w | | | | | | |
| TEC * Typical En | ergy Consump | tion | kWh/week | kWh/week | 2.410 kWh/w | eek | | | | | |
| ETEC * Annual Ene | ergy Consump | tion | kWh/year | kWh/year | kWh/year | | | | | | |
| Display res | solution* : | Mega | apixels | | | | | | | | |
| Print Spee | d* : 40 | Image | es per minute | | | | | | | | |
| Default tim | e to enter ener | rgy save | mode: 3 minutes | 3 | | | | | | | |
| P9.2* | Information a | bout the | energy save function | on is provided with t | he product. | | | | \boxtimes | | |
| P9.3* | ENERGY ST Others specif | AR® ver | e energy requireme sion: 2.0 Tier: | | voluntary program /: IMAGING EQU | | NT | | | | |
| P10 | Emissions | ion Do | clared according to | 150 0206 | | | | | | | |
| P10.1 | Mode | | eclared according to | 190 9790 | Declared A-weighted sound power level $L_{\rm WAd}$ (B) | | Declared sound pressure ator position Desktop or Desk side | Bystan (only if p | m (dB | sitions | |
| | Idle | | eady | | * 4.56 | | | | | | |
| | Operation Other mode | * Pr | inting | | * 6.83 | | | | | | |
| | | oordin n f | | | | | | | | | - |
| | Measured acc | | | ECMA-74 JZ171 (only if not co | overed by ECMA- | 74 with | h L _{pAm} measurer | nent distar | ice | m) | |
| P10.2 | P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ171 | | | | | | am/s: RAL-UZ17 | 1 | \square | | |

| Model nur | mber * | HL-6180DW/HL-6180DWT | | | | |
|--------------------------------|-------------------|--|-----------------------|-------------|------|-----------|
| Issue date * 09/September/2014 | | 09/September/2014 | Logo | | | |
| | | | | | | |
| Product | environr | nental attributes - Market requirements (continued) | F | Require | ment | met |
| Item | | | | Yes | No | n.a. |
| | | al emissions from printing products | | | | |
| P10.3* | | formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify: I | RAL-UZ171 | \square | | |
| P10.4 | | | | | | |
| | | Dust Ozone Styrene Benzene TVOC | | | | |
| P10.5 | | al emission requirements of the following voluntary program/s are met fo | | \bowtie | | |
| | | Dust 🛛 Ozone 🛛 Styrene 🖾 Benzene 🖂 | TVOC 🔀 | | | |
| P10.6 | | nagnetic emissions er display meets the requirement for low frequency electromagnetic fields of the | following voluntary | | | |
| F10.0 | program | | i oliowing voluntary | | | \bowtie |
| P11 | | hable materials for printing products | | | | |
| P11.1* | | Data Sheet (SDS) is available for the ink/toner preparation, even if not legally | required (see P4.3). | \square | | |
| P11.2* | Paper c EN1228 | ontaining post-consumer recycled fibers can be used, provided that it meet | s the requirements of | | | |
| P11.3* | | (duplex) printing/copying is an integrated product function. | | \boxtimes | | |
| P12 | | mics for computing products | | | | |
| P12.1* | | lay meets the ergonomic requirements of ISO 9241-307 for visual display tech | nologies. | | | \square |
| P12.2* | The phy | sical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | | |
| P13 | | ng and documentation | | | | |
| P13.1* | | packaging material type(s): PAPER weight (kg): 1.85 | | | | |
| | | packaging material type(s): <i>PS-E</i> weight (kg): 0.27 | | | | |
| P13.2* | Product | packaging material type(s): HDPE weight (kg): 0.06 plastic packaging is free from PVC. | | \square | | |
| P13.3* | | media for user and product documentation (tick box): | | | | ╞ |
| 1 10.0 | Electron | ic \square , Paper \square , Other \square | | | | |
| P13.4* | | er user and product documentation, please specify contained percentage of pos | st-consumer recycled | | | |
| Rev. P13.5 | User and | d product documentation do not contain chlorine bleached paper | | \square | | |
| P14 | Addition | nal information (See Note B4) | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |