

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	In One Electro-photographic Printer			
Commercial name *	FC-9340CDW			
Model number *	MFC-9340CDW			
Issue date *	20/February/2015			
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model number *	MFC-9340CDW		
Issue date *	20/February/2015	Logo	

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	\square			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes			
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in				
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes	
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes	
	aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).				
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5				
1 1.0	microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square			
	www.brother.eu/reach				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
Do ot	provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\bowtie	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			\boxtimes	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)	.1			
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	u 🖂			
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MFC-9340CDW						
Issue dat	te *	20/February/2015 Logo				
Product	environ	mental attributes - Market requirements - Environmental conscious design	Require	mont	mot	
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6		nt information			mai	
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	\square			
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable	\square			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.	\bowtie			
P7.3*		arts >100g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 7 years				
P7.10		s available after end of production for: 7 years			Ē	
		and substance requirements				
P7.11*		cover/housing material type:				
		type: HI-PS Material type: ABS Material type: PC/ABS				
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	$\overline{\boxtimes}$			
P7.15	All printe (See No	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-2 te B2)	1.	\square		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes			
P7.17	Alt. 1 Chemica TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:				
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%: ent: No legal limits exist, this is a market requirement.	in 🗌			
	1. Chem 2. Chem 3. Chem Alt. 2	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
D7 40	FR(17)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.4%.					
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0%.					
F1.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batterie					
P8.1*		hemical composition:			\square	
		meet the requirements of the following voluntary program/s:			<u> </u>	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

	Nodel number * MFC-9340CDW									
Issue date	20/Fe	bruary/2015				Logo				
Product	environmenta	l attributes - Market re	equirements (cor	ntinued)			F	Requi	rement	met
Item			• •					Ye		n.a.
P9	Energy consu	mption								
9.1	For the product	the following power levels	s or energy consum	ptions are repor	ted:					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / modes and test	Standard method *	for	energy	
Printing		W	W	375 W						
Copying		W	W	380 W						
Ready		W	W	70 W						
Sleep		W	W	7.5 W						
Deep Slee	э р	W	W	1.8 W						
Off		W	W	0.05 W						
EPS No-lo	ad	W	W	W						\boxtimes
charger plu	oower supply / ugged in the wall disconnected from t.)									
PTEC * Typical En	ergy Consumptio	W	W	W						
TEC * Typical En	ergy Consumptio	kWh/week	kWh/week	1.4 kWh/week						
Etec * Annual En	ergy Consumptio	kWh/year	kWh/year	/ear kWh/year						
Display res	solution* :	Megapixels								\square
Print Spee	d * : 22 Im	ages per minute								
	e to enter energ		es							H
P9.2*	-	but the energy save function		he product.				X		님
P9.3*	The product me	eets the energy requireme R® version: 2.0 Tier:		voluntary prograi		IT				
P10	Emissions									
		n – Declared according to	ISO 9296							-
P10.1	P10.1 Mode Mode description Mono Copy Speed:22 Color Copy Speed:22			Declared Declared A-weighted A-weighted sound pressure level L_{pAm}		_{Am} (dl		-		
				level $L_{\rm WAd}$ (B)		ator position Desktop or Desk side	(only if	produ	ositions ct is not tended)	
	Idle	* Ready		* 4.44						
	Operation	* Printing(mono)		* 6.42						
	Other mode	Printing(color)		6.39						
	Measured acco	Other RAL-U	ECMA-74 JZ122 (only if not co					nce	m)	
P10.2	The product me	eets the acoustic noise rec								

* Conformity with "Acoustic noise requirements" of RAL-UZ122 can be applicable to 22cpm model.

Model nur	nber *	MFC-9340CDW				
Issue date *		20/February/2015	Logo			
Product e	environr	nental attributes - Market requirements (continued)	R	equire	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify: RAL	-UZ122	\square		
P10.4	Typical emission rate (print phase) is (mg/h):					
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :		\bowtie		
			TVOC 🔀			
D40.0		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the fol	lowing voluntary			\bowtie
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).	\square		
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets th	, ,		Ħ	Ħ
	EN1228	1.				
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		\boxtimes		
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.			\boxtimes
P12.2*	The phy:	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13	<u>v</u>	ng and documentation				
P13.1*		packaging material type(s): PAPER weight (kg): 3.4				
		packaging material type(s): PS weight (kg): 0.5 packaging material type(s): weight (kg):				
P13.2*		packaging material type(s): weight (kg): plastic packaging is free from PVC.				
P13.3*		nedia for user and product documentation (tick box):				╞
1 10.0	Flectron	ic \square , Paper \square , Other \square				
P13.4*		er user and product documentation, please specify contained percentage of post-co	onsumer recycled			
	fiber: 1					
Rev.	User and	product documentation do not contain chlorine bleached paper		\boxtimes		
P13.5						
P14	Addition	nal information (See Note B4)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19