

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	L IN ONE Electro-photographic Printer			
Commercial name *	C-9970CDW			
Model number *	IFC-9970CDW			
Issue date *	9/February/2015			
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model number *	MFC-9970CDW		
Issue date *	19/February/2015	Logo	

Product	Product environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).		-	
D/ at	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			
D / / D	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			\boxtimes
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			\boxtimes
	design of the product). Exception: Batteries that are permanently installed for safety, performance, med			
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		Η	
Do ot	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MFC-9970CDW							
Issue dat	te *	19/February/2015 Logo					
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatme	nt information					
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design	mbly require					
P7.1*		mbly, recycling at have to be treated separately are easily separable					
P7.2*				╞	╞		
P7.3*		arts >100g consist of one material or of easily separable materials.		<u> </u>	<u> </u>		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		<u>Ц</u>	<u> </u>		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square				
		lifetime					
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgradir	ng can be done using commonly available tools	\square				
P7.9.	Spare pa	arts are available after end of production for: 7 years					
P7.10	Service i	s available after end of production for: 7 years					
		and substance requirements					
P7.11*		cover/housing material type:					
		type: PS-HI Material type: ABS Material type:					
P7.12		I cable insulation materials of power cables are PVC free.					
P7.13		I cable insulation materials of signal cables are PVC free		\square			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	\square				
P7.15	All printe (See No	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. te B2)		\square			
P7.16	Flame re Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			\boxtimes		
P7.17	Alt. 1 Chemica	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:					
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: ent: No legal limits exist, this is a market requirement.					
	1. Chem 2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:					
	FR(17)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20							
P7.21		plastic parts' weight >25g, biobased material content is 0%.					
P7.22		arces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg	\boxtimes				
P8	Batterie						
P8.1*							
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\square		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MFC-9970CDW	
Issue date *	19/February/2015	Logo

Product environmental a	oduct environmental attributes - Market requirements (continued) Requirement met				met		
Item						Yes No	n.a.
P9 Energy consumption							
9.1 For the product th	9.1 For the product the following power levels or energy consumptions are reported:						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for energy	
Copying	W	W	615 W				
Ready	W	W	75 W				
Sleep (WLAN:On)	W	W	10 W				
Deep Sleep	W	W	1.8 W				
	W	W	W				
	W	W	W				
EPS No-load (External power supply /	W	W	W				
charger plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
TEC * Typical Energy Consumption	kWh/week	kWh/week	2.216 kWh/w	eek			
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	ar			
Display resolution* : N	legapixels						
Print Speed * : 28 In	nages per minute						
Default time to enter energy s	ave mode: 3 minut	es					
P9.2* Information about	the energy save function	on is provided with the	ne product.				
	s the energy requirement version: 2.0 Tier:	nts of the following Product category			NT		
P10 Emissions							
	- Declared according to	ISO 9296		r			r
	Mode description Mono Copy Speed:28		Declared A-weighted		Declared A-weighted sound pressure level L_{pAn}		
	Color Copy Speed:280	pm	sound power	Ope		der positions	
			level L_{WAd} (B)	000	Desktop		
					or Dock side (only if pi	roduct is not or attended)	
Idle	* Ready		* 4.38				
Operation	* Copying		* 6.67(Mono) 6.70(Color)				
Other mode							1
Measured accord							
P10.2 The product meet	S the acoustic noise rec				th L _{pAm} measurement distance		
FI0.2 The product meet	s the acoustic hoise fec		lowing voluntary	progr	ani/5. RAL-UZ 122	\boxtimes	

* Conformity with "Acoustic noise requirements" of RAL-UZ122 can be applicable to 28cpm model.

Model nu	nber *	MFC-9970CDW				
Issue date	*	19/February/2015	Logo			
Product	environn	nental attributes - Market requirements (continued)	F	lequire	ment	met
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify: RAL	-UZ122	\square		
P10.4	Typical emission rate (print phase) is (mg/h):					
		Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for : Dust ∑ Ozone ∑ Styrene ∑ Benzene ∑	TVOC 🔀			
		nagnetic emissions				
P10.6	, program		owing voluntary			
P11		able materials for printing products				
P11.1*	•	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	· · ·	\square		
P11.2*	EN1228		e requirements of	\square		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes		
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.			\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*	Product	packaging material type(s): PAPER weight (kg): 4.10 packaging material type(s): PS weight (kg): 1.10 packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box):				
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-co %	onsumer recycled			
Rev. P13.5		product documentation do not contain chlorine bleached paper		\boxtimes		
P14	Addition	nal information (See Note B4)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19