

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product * ALL IN ONE Inkjet Printer			
Commercial name *	MFC-J5720DW		
Model number *	MFC-J5720DW		
Issue date *	14/July/2014		
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MFC-J5720DW		
Issue date *	14/July/2014	Logo	

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\square$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		_	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\square$
P1.8*	aromatic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\square$
F 1.0	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			$\boxtimes$
	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			$\boxtimes$
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	3		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials	لاستع		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\square$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MFC-J5720DW						
Issue dat	te *	14/July/2014 Logo				
Product environmental attributes - Market requirements - Environmental conscious design Requirement m						
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	$\square$			
P7	Design					
		mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable	$\square$			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	$\boxtimes$			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ē	Ē	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ	
-	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools	- 2	H		
P7.9.						
P7.10	- · · ·	Ints are available after end of production for: 7 years	-		<u> </u>	
F7.10		s available after end of production for: 7 years				
P7.11*		and substance requirements				
P7.11		cover/housing material type: type: PS-HI Material type: ABS Material type: PMMA				
P7.12		I cable insulation materials of power cables are PVC free.		$\boxtimes$		
P7.12		I cable insulation materials of signal cables are PVC free	<u> </u>		╞	
				<u> </u>	<u> </u>	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			Щ.	
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21.		$\bowtie$		
P7.16	(See Not					
	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			$\square$	
P7.17	Alt. 1	Less (free free of floor on tendents in winted simultiple and a OF a (with and some sets).	_		_	
		I specifications of flame retardants in printed circuit boards >25g (without components):		$\boxtimes$		
	IBBPA (	additive) , TBBPA (reactive) , Other; chemical name: , CAS #: 265-08-7				
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >25g according				
	ISO 1043					
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances/preparations in				
		ations above 0.1%:				
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #:				
		ical name: , CAS #: ical name: , CAS #:				
	Alt. 2					
		l specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
					$\square$	
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	$\square$			
P7.20		lastic parts' weight >25g, recycled material content is 0.1%.				
P7.21		lastic parts' weight >25g, biobased material content is 0%.				
P7.22		irces are free from mercury	$\boxtimes$			
<b>D</b> o		y is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries					
P8.1*	,	hemical composition:				
P8.2	Batteries	meet the requirements of the following voluntary program/s:			$\square$	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model n												
Issue da	ite *	14/July/2	014				L	.ogo				
Produce	t onviron	nontal at	ributos - Markot ro	quiromonte (con	tinuad)				C	loqui	romont	mot
Item	nduct environmental attributes - Market requirements (continued) Requirement methods Yes No n.						n.a.					
P9	Energy	consumpt	ion									
9.1	For the	product the	following power levels	or energy consump	tions are	reported:						
Energy n	node *		Power level at 100 V AC	Power level at 115 V AC	Power 230		at Reference modes a		Standard method *	for	energy	
Copying	1		W	W	<b>32</b> W							
Ready		W	W	5.5 W								
Sleep			W	W	1.8 W							
Power C	Off		W	W	0.04 W	1						
			W	W	\ \	N						
			W	W	١	N						
EPS No-	load		W	W	١	N						
charger p outlet but the produ	l power sup olugged in t t disconnec uct.)	he wall										
PTEC * Typical E	Energy Con	sumption	W	W	\	N						
TEC * Typical E	Energy Con	sumption	kWh/week	kWh/week		kWh/week						
ETEC * Annual E	Energy Cons	sumption	kWh/year	kWh/year	kWh/year							
Display r	esolution*	: Me	egapixels									
Print Spe	ed *	: <b>35(mono</b>	) Images per minute									
			ve mode: 5 minutes	3								H
P9.2*			he energy save functio		e produc	:t.				X		片
P9.3*	The pro	duct meets	the energy requirement version: <b>2.0</b> Tier:		oluntary	program/s:					<u> </u>	
P10	Emissio											
		1	Declared according to	ISO 9296								
P10.1	Mode	N	lode description		Declar A-weigl sound p	hted ower	sound pr	ressure	A-weighten level $L_{pA}$	Am (dl		-
					level $L_{W}$	Ad (B) Op	berator posit Deski or Desk s	top 🗌	(only if	produ	ositions	
	Idle	*	Ready	*	2.96							
	Operatio		Printing(mono)	÷	* <b>6.06</b>							
	Other m	ode	Printing(color)		<b>6</b> .0							
	Measure	ed accordin		ECMA-74								
D40.0		duration in the		Z171 (only if not cov							m)	L
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ171											

Model nur	nber *	MFC-J5720DW					
Issue date *		14/July/2014 Logo					
Product	Product environmental attributes - Market requirements (continued)						
Item			Yes	No	n.a.		
D ( a at		al emissions from printing products					
P10.3*		ormed according to ECMA-328 (ISO/IEC 28360) standard _, other specify: RAL-UZ171	$\square$				
P10.4	• •	emission rate (print phase) is (mg/h):					
D40.5		Dust Ozone Styrene Benzene TVOC					
P10.5	5 Chemical emission requirements of the following voluntary program/s are met for :						
		nagnetic emissions					
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s:			$\boxtimes$		
P11		able materials for printing products					
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\square$				
P11.2*	EN1228		of 🔀				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$		
P13		ng and documentation					
P13.1*	Product	packaging material type(s): PAPER weight (kg): 1.85 packaging material type(s): PS-E weight (kg): 0.27 packaging material type(s): weight (kg):					
P13.2*	Product	plastic packaging is free from PVC.	$\boxtimes$				
P13.3*		nedia for user and product documentation (tick box): c 🔯, Paper 🔯, Other 🗍					
P13.4*	For pape fiber: 1	r user and product documentation, please specify contained percentage of post-consumer recycled 00 %					
Rev. P13.5		I product documentation do not contain chlorine bleached paper		$\boxtimes$			
P14	Addition	al information (See Note B4)					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19