



## **Product environmental attributes – THE ECO DECLARATION** The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	brothor
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	at your side
Internet site *	http://www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Inkjet Multi-function Printer	
Commercial name *	MFC-5890CN	
Model number *	MFC-5890CN	
Issue date *	16/JUN/09	
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\boxtimes$		

Model number *		MFC-5890CN				
Issue date *		16/JUN/09	Logo			
Product environmental attributes - Legal requirements						
Item				Require Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and <sup>Note 1</sup> ).					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		$\boxtimes$			
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no rr ration values.		_		
P1.4*	Products	s do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorin ax 0.005% by weight (see legal reference).	ated terpher	iyl 🔀		
P1.5*	Products	s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	chain conta	ining 🔀		
P1.6*	Textile a Tris-(azir	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference nt: Legal reference has no maximum concentration values.		S),		
P1.7*	Textile a	nd leather parts with direct skin contact do not contain Azo colorants that split arom 03% by weight (see legal reference and Note 1).	natic amines			
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as w orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	vell as			$\square$
P1.9*	Parts wit microgra	In begin references in a manufacture of references. In h direct and prolonged skin contact do not release nickel in concentrations above ( m/cm2/week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.	).5			
P2	Batterie					
P2.1*	If the pro more tha marked v	oduct contains a battery or an accumulator, it is labeled with the disposal symbol an an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper in user manual. (See legal reference)	ad, it shall be			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other b ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le		;e)		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		the 🔀			
P3		EMC connection to the telephone network and labeling				
P3.1*		duct complies with legally required safety standards as specified (see legal reference	ce).	$\square$		
P3.2*	The proc	duct complies with legally required standards for electromagnetic compatibility (see	legal referen		Ħ	
P3.3*	If produc	t is intended for connection to a public telecom network or contains a radio transmi ally required standards for radio and telecommunication devices (see legal reference	itter, it compl			
P3.4*		duct is labeled to show conformance with applicable legal requirements (see legal r		$\square$		
P4		nable materials	,		<u> </u>	
P4.1*	If a photo	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and Note 1).	ax 0.01% (se	e		$\boxtimes$
P4.2*	0	er is used in the product, it does not contain cadmium max 0.1% by weight (see leg	gal reference	e). 🔀		
P4.3*	If the ink product/µ requirem	/toner formulation/preparation is classified as hazardous according to applicable re packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance tents (see legal reference).	gulations, th	e 🔀		
P5		packaging				
P5.1*	max 0.01	ng and packaging components do not contain lead, mercury, cadmium and hexaval 1% by weight of these together.		m 🔀		
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).			
P5.3*	The proc Protocol	duct packaging material is free from ozone depleting substances as specified in the (see legal reference). (see legal reference). nt: Legal reference has no maximum concentration values.				

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		MFC-5890CN			_	
Issue dat	e *	16/JUN/09	Logo			
Produc	Product environmental attributes - Market requirements - Environmental conscious design Requirement					tmet
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
P7	Design					
-		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		$\square$		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives				$\boxtimes$
P7.8*	Upgradir	g can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 5 years				Ē
P7.10		s available after end of production for: 5 years				H
		and substance requirements				
P7.11*		cover/housing material type:				
	Material	type: PS-HI Material type: ABS Materia				
P7.12	Electrica	I cable insulation material of power cables are halogen free (including PVC). (See N	lote 1)		$\boxtimes$	
P7.13	Electrica	I cable insulation material of signal cables are halogen free (including PVC). (See N	ote 1)			
P7.14	All cover	/housing plastic parts >25g are halogen free. (See Note 1)				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)					
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemica TBBPA (	I specifications of flame retardants in printed circuit boards >25g (without componer	nts): CAS #:			
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >2 3-4:	25g according			
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/preparat ations above 0.1%: it: No legal limits exist, this is a market requirement.	ions in			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	Alt. 2 Chemica	l specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		lastic parts' weight >25g, recycled material content is 0%.				
P7.20		elastic parts' weight >25g, biobased material content is 0%.				
P7.21		irces are free from mercury		$\boxtimes$		
Do		y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8.1*	Batterie:	s hemical composition: <i>Ni-MH type</i>				
P8.2	•	meet the requirements of the following voluntary program/s:				<u> </u>
F0.Z	Datteries	meet me requirements of the following voluntary program/s.				

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	MFC-5890CN		
Issue date *	16/JUN/09	Logo	

	t environmental a	attributes - Market	requirements (co	ontinued)	Requirem		met
Item					Yes	No	n.a.
P9	Energy consumpt						
9.1	For the product the	following power level	s or energy consum	<u>otions have been</u>	measured:		
Energy r	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy mode and test method *	es	
Stand-b	у	W	W	0.68 W			
Sleep		W	W	3.49 W			
		W	W	W			
		W	W	W			
		W	W	W			Ē
		W	W	W			Ħ
EPS No	-load	W	W	W			
(Externa charger outlet bu the prod	I power supply / plugged in the wall ut disconnected from						
PTEC * Typical I	Energy Consumption	W	W	27 W			
TEC *		kWh/week	kWh/week	0.878 kWh/we	ek		
	Energy Consumption						
	0,	save mode: 10 minute				_	<u> </u>
P9.2*		he energy save function					
P9.3*	ENERGY STAR® v Others specify:	the energy requireme version 1.0 Tier:1	ents of the following v	oluntary program	n/s:		
P10	Emissions						
		Declared according to	ISO 9296				
P10.1	Mode N	Node description		Declared A-weighted	Declared A-weighted sound pressure level $L_{pAm}$ (dB)		
				sound power			-
				level $L_{WAd}$ (B)	Operator position Bystander positions Operator Desktop (only if product is		
					or Desk side		
	Idle *	Stand-by		* 3.13			
	Operation *	Copying(mono)		* 6.41			
	Other mode	Copying(color)		5.52			1
	Measured accordin	ig to: 🔀 ISO7779 🗌	ECMA-74				1
<b>B</b> / a a		Other			h L <sub>pAm</sub> measurement distance m)	_	
P10.2			•	lowing voluntary	program/s: RAL-UZ122		
P10.3*		ns from printing pro		a dan d		_	
P10.3							
1.10.4		Dust Ozone	g/n). Styrene	Benzene	TVOC		
P10.5							
P10.5	enermour ennosion		Dust 🔀	Ozone	e 🔀 🛛 Styrene 🔀 👘		
P10.5			Dust 🔀 Benzene 🔀	Ozone TVOC			_
P10.5 P10.6	Electromagnetic e	missions	Benzene 🔀	TVOC			

	umber *	MFC-5890CN			
ssue da	ite *	16/JUN/09 Logo			
	-		-		
Produc	t enviror	mental attributes - Market requirements (continued)	Requirem		ie
ltem			Yes	No r	n.a
P11		able materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\square$		
P11.2*	Paper co EN1228	ntaining post-consumer recycled fibers can be used, provided that it meets the requirements of	$\boxtimes$		
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.		$\boxtimes$	
P12	Ergonor	nics for computing products			
P12.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P12.2*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.3*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packagi	ng and documentation			
P13.1*	Product	backaging material type(s): PAPER weight (kg): 3.58   backaging material type(s): PE weight (kg): 0.026   backaging material type(s): weight (kg):			
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)	$\boxtimes$		
P13.3*	Specify r Electroni	nedia for user and product documentation (tick box): c		(	
P13.4*	For pape fiber.	r user and product documentation, please specify contained percentage of post-consumer recycled %		[	
	Additional information				

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1