



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	lectrophotographic Multifunction Printer			
Commercial name *	1FC-9120CN			
Model number *	MFC-9120CN			
Issue date *	4/Sep/09			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *	MFC-9120CN		
Issue date *	4/Sep/09	Logo	

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max	\square			
P1.2*	0,1% (see legal reference and ^{Note 1}). Products do not contain Asbestos (see legal reference).				
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\square			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			\square	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes	
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P2	Batteries	•			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\square	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\square			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).	\boxtimes			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MFC-9120CN							
Issue date *		4/Sep/09	Logo				
Produ	Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P6		nt information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7	Design Disassembly, recycling						
P7.1*	Parts that	t have to be treated separately are easily separable		\bowtie			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\boxtimes			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\square			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
-	Product	lifetime					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgradir	g can be done using commonly available tools			Ē		
P7.9.		arts are available after end of production for: 7 years				Ħ	
P7.10		s available after end of production for: 7 years				⊢⊢	
		and substance requirements					
P7.11*		cover/housing material type:					
			Il type: PC+PS-	HI FR(40)			
P7.12	Electrica	I cable insulation material of power cables are halogen free (including PVC). (See N	lote 1)		\boxtimes		
P7.13	Electrica	l cable insulation material of signal cables are halogen free (including PVC). (See N	lote 1)		\boxtimes		
P7.14	All cover	/housing plastic parts >25g are halogen free. (See Note 1)		\square			
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)						
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: PC+ABS FR(40), PC+PS-HI FR(40)		\boxtimes			
P7.17	Alt. 1			_	_	_	
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):						
	IBBPA (additive) , TBBPA (reactive) , Other; chemical name: ,	CAS #:				
	Alt. 2						
		I specifications of flame retardants in printed circuit boards (without components) >2	25g according				
	ISO 1043	3-4:					
P7.18	Alt. 1			_	_	_	
		tarded plastic parts >25g contain the following flame retardant substances/preparat ations above 0.1%:	tions in				
		it: No legal limits exist, this is a market requirement.					
		ical name: , CAS #:					
		ical name: , CAS #: ical name: , CAS #:					
	3. Chem	ical name: , CAS #:					
	Alt. 2						
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
D7.40	FR(17), FR(40)						
P7.19 P7.20		plastic parts' weight >25g, recycled material content is 4% . plastic parts' weight >25g, biobased material content is 0% .					
P7.20 P7.21		inces are free from mercury					
1		y is used specify: Number of lamps: and max. mercury content per lamp:	mg				
P8	Batteries	ŝ		·	•		
P8.1*		hemical composition: NIMH					
P8.2	Batteries meet the requirements of the following voluntary program/s: 2006/66/EC						

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	MFC -9120CN		
Issue date *	4/Sep/09	Logo	

	ct environmental a	attributes - Market	requirements (co	ontinued)				uiremer	
Item	·	-						Yes No	n.a.
P9	Energy consumpt			den la contra de					
9.1	For the product the	following power level	s or energy consum	<u>ptions nave been</u>	n meas	sured:			
Energy I	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Stan and test method		y modes	
ADF Co	ру	W	W	Average 480	0 W				
Ready		W	W	Average 75	W				
Sleep		W	W	Average 11	W				市
		W	W	W					H
		W	W	W					$+ \exists$
		W	W	W					$+ \exists$
EPS No	load	W	W	W					井븜
(Externa charger	al power supply / plugged in the wall ut disconnected from	vv	vv	v					
PTEC * Typical I	Energy Consumption	W	W	1176 W					
TEC * Typical I	Energy Consumption	kWh/week	kWh/week	3.071 kWh/we	ek				
Default t	time to enter energy s	ave mode: 5 minutes							
P9.2*	Information about th	he energy save function	on is provided with the	ne product.					
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requireme version 1.1 Tier:	ents of the following v	voluntary prograr	m/s:]
P10	Emissions								
	Noise emission –	Declared according to	ISO 9296						
P10.1	Mode N	lode description		Declared A-weighted sound power		Declared sound pressure	A-weighted level $L_{p{ m Am}}$ (dB)	
				level L_{WAd} (B)		rator position Desktop or Desk side	Bystander po (only if pro operator		
	Idle *			*					\neg
	Operation *			* 0.40					
	Operation	COPY(color)		* 6.42					
	Other mode	COPY(mono)		6.46					
	Measured accordin	g to: 🔀 ISO7779 🗌 Other	ECMA-74 (only if not covered	bv ECMA-74 wit	th L _{nam}	, measurement dis	tance r	n)	
P10.2	The product meets	the acoustic noise real						Ń Г	
	Chemical emissio	ns from printing pro	ducts						
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ122								
P10.4		te (print phase) is (mo		_					_
P10.5		Dust Ozone requirements of the fe	Styrene	Benzene	7100	TVOC			╷┝┙
P10.5	Chemical emission		Diowing voluntary pr Dust 🔀 Benzene 🔀	Ogram/s RAL-02 Ozon TVO0	e 🔀	Styrene			
	Electromagnetic e	missions							
P10.6	Computer display n program/s:	neets the requirement	for low frequency e	lectromagnetic fie	elds of	f the following volu	ntary		

Model number *	MFC -9120CN		
Issue date *	4/Sep/09	Logo	

Produc	Require	ment	met		
Item		Yes	No	n.a.	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\square		
P12	Ergonomics for computing products				
P12.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P12.2*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square	
P12.3*	* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s):PSweight (kg): 1.13Product packaging material type(s):PAPERweight (kg): 3.27Product packaging material type(s):weight (kg):Weight (kg):				
P13.2*					
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%				
P14	Additional information				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1