



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	brothor
Contact information *	Stephen Kimber	brother
	steve.kimber@brother.co.uk	at your side
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Inkjet Multi-function Printer		
Commercial name *	MFC-J6910DW		
Model number *	MFC-J6910DW		
Issue date *	16/Nov./2011		
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information	ation		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	ent met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

P1.1 Hazardous substances and preparations P1.1* Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, log/brominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PDE) max 0.1% (polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PDE) max 0.1% (polybrominated biphenyl (PCB) max 0.0% (PCC), Halons, carbonettrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight (see legal reference). Comment: Legal reference). P1.4* Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2,3-dibromoprophyl-phosphiaetox). P1.7* Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference). P1.7* Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference). P1.7* Textile and leather gats regulared ference). Comment: Legal reference has no maximum concentration values. P1.7* <th>Model nu</th> <th>umber *</th> <th>MFC-J6910DW</th> <th></th> <th></th> <th></th>	Model nu	umber *	MFC-J6910DW			
Item Yes No r P1 Hazardous substances and preparations P1.1* Products do not contain lead max 0.1%, cardinum max 0.01%, mercury max 0.1%, hexavalent chronium max 0.1%, log/storninated bip/enyl (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1%, log/storninated bip/enyl (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1%, log/storninated bip/enyl (PBD) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% and polybrominated diphenyl ethers (PCD). Products do not contain Asbestos (see legal reference). Image: Control (CPC) (CPC) max 0.05% by weight, polybrominated biphenyl (PCB) max 0.05% by weight, polybrominated terphenyl (PCT) max 0.05% by weight (see legal reference). Image: Control (CPC) (CPC) (CPC) max 0.05% by weight (see legal reference). Image: Control (CPC) (Issue da	te *	16/Nov./2011 Logo			
Item Yes No r P1 Hzardous substances and preparations P1.1 Products do not contain lead max 0.1%, cadhium max 0.01%, mercury max 0.1%, hexavalent chronium max 0.1%, polytominated biphenyl (PBB) max 0.1% and polytominated diphenyl ethers (PBDE) max 0.1% (see legal reference has no maximum concentration value. Image: Control of						
P1 Hazardous substances and preparations P1.11 Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium 0.1% Conducts do not contain Asbestos (see legal reference). Comment: Legal references and ms/. Importation values. P1.2* Products do not contain Asbestos (see legal reference). Importation values. P1.3* Products do not contain Potportation value. Importation values. P1.4* Products do not contain potportations (HPEC), hydrochloroflucrocathons (HCFC), hydrochloroflucrocathon (HCFC), hydrochloroflucrocathon (HCFC), hydrochloroflucrocathons (HCFC), hydrochloroflucrocathon (HCFC), hydro	Product	t environi	mental attributes - Legal requirements	Requir	remer	nt met
P1.1 Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polytominated bippenyl (PBB) max 0.1% and polytominated diphenyl ethers (PBDE) max 0.1% (see legal reference and ^{max}). P1.2 Products do not contain Asbetstos (see legal reference). Comment Legal reference has no maximum concentration value. P1.3 Products do not contain Coreo Depleting Substances: Chlorofluorccarbons (CFC). hydrobromofluorccarbons (HBFC), hydrochorofluorcarbons (CFC). hydrobromofluorcarbons (HBFC), hydrochorofluorcarbons (CFC). Protucts do not contain short chain (horoparaffins (SCCP) with 0-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). Comment. Legal reference has no maximum concentration values. P1.6 Protucts do not contain arsenic and chromium as a wood preservation treatment as well as pentachorophonal and derivatives (see legal reference). Comment. Legal reference has no maximum concentration values. P1.9 Protuct with direct and prolonged sitis nontact do not relax prove provider shall be mark on toonian arsenic and chromium as a wood preservation treatment as well as pentachorophonal and derivatives (see legal reference). Comment. Legal reference has no maximum concentration values.				Yes	No	n.a.
max 0.1% copybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 1 P1.2* Products do not contain Asbestos (see legal reference). Imaximum concentration value. P1.3* Products do not contain Caseno Depleting Substances: Chlorofluorocarbons (CFC). Imaximum concentration value. P1.4* Products do not contain contain contain the product do not contain polybriorinated biphenyl (PCB) max 0.005% by weight, polychiorinated terphenyl (PCD) max 0.005% by weight contain the SCCP max 0.015% by weight contain the set contain as maximum concentration values. P1.7* Textile and leather parts with direct skin contat do not contain Acc colorant that split aromatic amines maximum concentration values. P1.7* Textile and leather parts with direct i and choromutation and prevention va						
P1.2* Products do not contain Asbestos (see legal reference). Imaximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), halons, carbontetrachloride, 1.1, 1-trichloroethane, methyl bornide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain polychiorinated biphenyl (PCB) max 0.005% by weight, polychiorinated terphenyl (PCT) max 0.005% by weight (see legal reference). Imax 0.005% by weight (see legal reference). P1.4* Products do not contain polychiorinated biphenyl (PCB) max 0.05% by weight, polychiorinated terphenyl (PCT) max 0.005% by weight (see legal reference). Imax 0.005% by weight (see legal reference). P1.5* Products do not contain not contain not c2, dibrompropyl)-phosphate (TRIS), integatively)-phosphineovide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Imax 0.003% by weight (see legal reference) and not contain not c2, dibrompropyl)-phosphate (TRIS), integatively) (see legal reference). Imax 0.003% by weight (P1.1*	max 0.1%	%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max			
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC). hydrobromofluorocarbons (HECFC), Natroschorofluorearbons (CFC). Natroschoromethale, 11,1-1. trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, solychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference). P1.5* Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 43% per mass of chlorine in the SCCP max 0.1% (see legal reference). P1.5* Textile and leather parts with direct skin contact do not contain Tri-(2,3,-diltorompropyl)-phosphate (TRIS), Tris-(azindinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PEB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines maximu concentration values. P1.7* Textile and reforence has no maximum concentration values. P1.9* Patterise P1.9* Textile and prolonged shin contact do not release nickel in concentrations above 0.5 D D:1* Wooden parts do not contain arsenic and chromitum as a wood preservation treatment as well as provided in user manual. (See legal reference). Comment: Max limit legal reference when tested according to EN1811:1	P1.2*	Products	do not contain Asbestos (see legal reference).	\square		
(PCT) max 0.005% by weight (see legal reference). Image: Contains short chain chloroparafins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). P1.6* Testile and leather parts with direct skin contact do not contain Tri-(2.3, dibromopropyl)-phosphate (TRIS), Comment. Legal reference has no maximum concentration values. P1.7* Testile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1). P1.8* Wooden parts do not contain assenic and chronium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment. Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not contain as ocid preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment. Hag if reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not creatina the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper lossel is a doedned to not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference). P2.2* Butteries and accumulators are easily removable by either users or service provider (as dependent on the design of the product). Exception: Batteries that are permanently instalided for safet	P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.5* Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3, -dibromopropy)-phosphate (TRIS). <pre></pre>	P1.4*	(PCT) ma	ax 0.005% by weight (see legal reference).			
P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromogroph)-phosphate (TRIS), Comment: Legal reference has no maximum concentration values. Image: Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P1.7* Wooden parts do not contain arsenic and hote 1). Image: Comment: Legal reference has no maximum concentration values. P1.9* Wooden parts do not contain arsenic and hote not use. Image: Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Image: Comment: Legal reference when tested according to EN1811:1998. P2 Batteries Comment: Used in the part of the metal concerned. Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Image: Comment: Used in the product do not contain more than 2.002% of cadmium. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable by either vesers or service providers (sa dependent on the design of the product. Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.3*	P1.5*	Products	do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing			
P1.7* Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1). Image: Comment: Legal reference has no maximum concentration values. P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Image: Comment: Max limit in legal reference when tested according to EN1811:1998. P2 Batteries Image: Comment: Legal reference when tested according to EN1811:1998. P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadimum. (See legal reference). P3.1* The product complies with legally required stafty standards as specified (see legal reference). P3.2* The product complies with legally required stafty standards as aspecified (see legal reference). P3.4* <td>P1.6*</td> <td>Textile a Tris-(azir</td> <td>nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).</td> <td></td> <td></td> <td></td>	P1.6*	Textile a Tris-(azir	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Image: Comment. Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Image: Comment. Legal reference when tested according to EN1811:1998. P2 Batteries Image: Comment. Max limit in legal reference when tested according to EN1811:1998. P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Butto cells used in the product do not contain more than 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product. Complex with legally required standards as specified (see legal reference). P3.3* The product comples with legally required stafty standards as specified (see legal reference). P3.4* The product comples with legally required stafty standards as specified (see legal reference). P3.4* The product comples with legally required stafty standards as a specified (see legal reference). P3.3	P1.7*					\square
P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 □ Comment: Max limit in legal reference). □ P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.3* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.2* The product is intended for connection to a public telecom network or contains a radic transmitter, it complies with legally required standards for electromagnetic (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements. (see legal reference). P4.4* Consumable materials P4.1* If a hoto conductor (drum, belt etc.) is used in the product, i	P1.8*	Wooden pentachle	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference).			
P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.4* The product complies with legally required safety standards as specified (see legal reference). P3.4* The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P4.4* Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.4* If he ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product,	P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above 0.5 m/cm2/week (see legal reference).			
more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product sintended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4* The product (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2* If ink/toner is used in the product, it doe	P2					
P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4* The product is labeled to show conformance with applicable legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5.4* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromiu		more tha marked v	n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If he ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5.4* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. <td>P2.2*</td> <td>Button ce</td> <td>ells used in the product do not contain more than 2% by weight of mercury. Other batteries or</td> <td>\boxtimes</td> <td></td> <td></td>	P2.2*	Button ce	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). Image: Comparison of the telephone network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.4* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). Image: Protocol (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as spec	P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical				
P3.1* The product complies with legally required safety standards as specified (see legal reference). Image: Compatibility (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). Image: Compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). Image: Compatibility (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). Image: Compatibility (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). Image: Compatibility (see legal reference). P4.2* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). Image: Compatibility (see legal reference). P5.1* Product packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). Image: Compatibility (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Compatity (see legal reference). I	P3					
P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). Image: Comparison of the complex standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). Image: Comparison of telescommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). Image: Comparison of telescommunication devices (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). Image: Comparison of telescommunication devices (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). Image: Comparison of telescommunication devices (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). Image: Comparison of these together. P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. Image: Comparison of telescommunication of telescommunication of telescommunication of telescommunication of						
P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					\dashv	\dashv
P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). Image: Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). Image: Consumable materials P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		If produc	t is intended for connection to a public telecom network or contains a radio transmitter, it complies			
P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.4*					
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).						
P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). Image: Contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		If a photo	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P4.2*			\square		
P5.1* Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		product/p requirem	packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these ents (see legal reference).			
max 0.01% by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Comparison of the montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting su						
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P5.1*			\square		
Protocol (see legal reference).	P5.2*	Plastic pa	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
	P5.3*	Protocol	(see legal reference).			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		MFC-J6910DW					
Issue dat	te *	16/Nov./2011	Logo				
-							
Product environmental attributes - Market requirements - Environmental conscious design Requirem						t met	
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P6		nt information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7		mbly, recycling					
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\square			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product	lifetime					
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	ig can be done using commonly available tools				\boxtimes	
P7.9.	Spare pa	arts are available after end of production for: 7 years					
P7.10	Service i	s available after end of production for: 7 years					
	Material	and substance requirements					
P7.11*		cover/housing material type:					
		type: PS-HI Material type: ABS Materia					
P7.12		I cable insulation material of power cables are halogen free (including PVC). (See N			\square		
P7.13	Electrica	I cable insulation material of signal cables are halogen free (including PVC). (See N	lote 1)		\square		
P7.14	All cover	/housing plastic parts >25g are halogen free. (See Note 1)		\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)						
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				\square	
P7.17	TBBPA (I specifications of flame retardants in printed circuit boards >25g (without component additive) , TBBPA (reactive) , Other; chemical name: ,	nts): CAS #:				
	Alt. 2 Chemica ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >: 3-4:	25g according				
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/preparat ations above 0.1%: it: No legal limits exist, this is a market requirement.	tions in				
		ical name: , CAS #:					
		ical name: , CAS #:					
	3. Chem	ical name: , CAS #:					
	Alt. 2 Chemica	l specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Of total p	lastic parts' weight >25g, recycled material content is 0.2%.					
P7.20		elastic parts' weight >25g, biobased material content is 0 %.					
P7.21		Irces are free from mercury	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	\boxtimes			
P8	Batterie:	y is used specify: Number of lamps: and max. mercury content per lamp:	mg				
P8.1*		hemical composition: <i>Ni-MH type</i>					
P8.2	-	meet the requirements of the following voluntary program/s:					
1		,					

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	MFC-J6910DW		
Issue date *	16/Nov./2011	Logo	

Produc	ct environmental a	attributes - Market	requirements (c	ontinued)	Requirement m		
ltem					Yes No n		
P9	Energy consumpt						
9.1	For the product the	following power level	s or energy consum	ptions have been	<u>measured:</u>		
Energy I	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Sleep		W	W	4 W	ENERGY STAR Version 1.1		
Standby	у	W	W	0.3 W	ENERGY STAR Version 1.1		
		W	W	W			
		W	W	W			
		W	W	W			
		W	W	W			
charger	al power supply / plugged in the wall ut disconnected from	w	W	W			
PTEC * Typical I	Energy Consumption	W	W	W	[
TEC *		kWh/week	kWh/week	kWh/we	eek [
	Energy Consumption						
	0,	save mode: 5 minutes					
P9.2*		he energy save function					
P9.3*	The product meets ENERGY STAR® Others specify:	the energy requireme version 1.1 Tier:	ents of the following	voluntary prograr	n/s:		
P10	Emissions						
	Noise emission –	Declared according to	ISO 9296				
P10.1	Mode N	Node description		Declared	Declared A-weighted		
				A-weighted sound power	sound pressure level L_{pAm} (dB)		
				level L_{WAd} (B)	Operator position Bystander positions Desktop (only if product is not operator attended)		
		Deedu		* 3.07	or Desk side		
	Idle *	Ready		3.07	L		
	Operation *	Copying		* 6.31 (Mono) 6.22 (Color)	[
	Other mode						
	Measured according to: ISO7779 ECMA-74						
P10.2	Cother <i>RAL-UZ122</i> (only if not covered by ECMA-74 with L _{pAm} measurement distance m) The product meets the acoustic noise requirements of the following voluntary program/s:						
	Chemical emissions from printing products						
P10.3*							
P10.4	Typical emission ra	ate (print phase) is (mo					
D40 5		Dust Ozone	Styrene	Benzene	TVOC		
P10.5	Chemical emission	requirements of the fo	ollowing voluntary p Dust	-	are met for :		
			Benzene	Ozon TVO			
	Electromagnetic e			100			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
	program/s:						

ssue da								
		16/Nov./2011			Logo			
	t enviroi	mental attributes - Market requirements (c	ontinued)			Require		met
tem						Yes	No	n.a
P11		able materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner prep	aration, even if	not legally red	quired (see P4.3	3). 🛛 🖂		
P11.2*	Paper co EN1228	ntaining post-consumer recycled fibers can be used	l, provided that i	t meets the re	equirements of	\square		
P11.3*	2-sided	duplex) printing/copying is an integrated product fun	nction.			\boxtimes		
P12	Ergonor	nics for computing products						
P12.1*	A Safety	Data Sheet (SDS) is available for the ink/toner prep	aration, even if	not legally red	quired (see P4.3	3).		\boxtimes
P12.2*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							
P12.3*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13	Packagi	ng and documentation				·		
P13.1*	Product	backaging material type(s): PAPER backaging material type(s): PE backaging material type(s):	weight (kg): weight (kg): weight (kg):	5.6 0.2				
P13.2*	Product	plastic packaging is halogen free (including PVC). (S	See Note 1)			\boxtimes		
P13.3*	Specify r Electron	nedia for user and product documentation (tick box) c	: X Othe	er				
P13.4*	For pape fiber.	r user and product documentation, please specify co 0 %	ontained percer	tage of post-	consumer recyc	led		
P14	Addition	al information						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1