



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	rother Logo			
Company name *	rother International Europe			
Contact information *	Stephen Kimber steve.kimber@brother.co.uk			
Internet site *	vww.brother.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	ectrographic Multifunction Printer			
Commercial name *	MFC-8370DN			
Model number *	MFC-8370DN			
Issue date *	03/Mar/2010			
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

	umber *	MFC-8370DN			
Issue da	ite *	03/Mar/2010 Logo			
Produc	t environ	mental attributes - Legal requirements	Requir	emen	t met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	max 0.1	s do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium %, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max be legal reference and ^{Note 1}).	\square		
P1.2*	Product	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product	s do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl nax 0.005% by weight (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nt: Legal reference has no maximum concentration values.			
P1.7*	Textile a	and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines 03% by weight (see legal reference and Note 1).			\square
P1.8*	Wooder pentach	parts do not contain arsenic and chromium as a wood preservation treatment as well as lorophenol and derivatives (see legal reference). nt: Legal reference has no maximum concentration values.			
P1.9*	Parts wi microgra	th direct and prolonged skin contact do not release nickel in concentrations above 0.5 am/cm2/week (see legal reference). nt: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batterie	s			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or lators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batterie: design c	s and accumulators are easily removable by either users or service providers (as dependent on the of the product). Exception: Batteries that are permanently installed for safety, performance, medical ntegrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3		EMC connection to the telephone network and labeling			
P3.1*		duct complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*		duct complies with legally required standards for electromagnetic compatibility (see legal reference).		H	\dashv
P3.3*	If produ	ct is intended for connection to a public telecom network or contains a radio transmitter, it complies ally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	- TI	duct is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4		nable materials			
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note 1).			
P4.2*	0	her is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square		
P4.3*	If the in-	/toner formulation/preparation is classified as hazardous according to applicable regulations, the packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these nents (see legal reference).			
P5		t packaging			
P5.1*		ng and packaging components do not contain lead, mercury, cadmium and hexavalent chromium 1% by weight of these together.	\boxtimes		
P5.2*		backaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	Protoco	duct packaging material is free from ozone depleting substances as specified in the Montreal (see legal reference). nt: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue date* 03Mar/2010 Logo Product environmental attributes - Market requirements - Environmental conscious design Requirement met environmental mormation P6 Treatment information Image: Second Seco	Model number * MFC-83		MFC-8370DN				
Tem *-mandatory to fill in Additional information regarding each item may be found under P14. Yes No n.a. P6 Treatment information Information for recyclens/treatment facilities is available (see legal reference). Image: Comparison of the information for recyclens/treatment facilities is available (see legal reference). Image: Comparison of the information regarding each item may be found under P14. P7 Design Design P7.2 Plastic materials in covershousing have no surface coafig. Image: Comparison of the information regarding legal reference). P7.3 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison on the information regarding legal reference). P7.4 Plastic parts >200g consist of one material or of easily separable. Image: Comparison on the information regarding legal reference). P7.7 Uggrading can be done e.g., with processor, memory, cards or drives Image: Comparison on the information regarding legal reference). P7.7 Ug	Issue date *		03/Mar/2010	Logo			
Tem *-mandatory to fill in Additional information regarding each item may be found under P14. Yes No n.a. P6 Treatment information Information for recyclens/treatment facilities is available (see legal reference). Image: Comparison of the information for recyclens/treatment facilities is available (see legal reference). Image: Comparison of the information regarding each item may be found under P14. P7 Design Design P7.2 Plastic materials in covershousing have no surface coafig. Image: Comparison of the information regarding legal reference). P7.3 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison on the information regarding legal reference). P7.4 Plastic parts >200g consist of one material or of easily separable. Image: Comparison on the information regarding legal reference). P7.7 Uggrading can be done e.g., with processor, memory, cards or drives Image: Comparison on the information regarding legal reference). P7.7 Ug							
Tem *-mandatory to fill in Additional information regarding each item may be found under P14. Yes No n.a. P6 Treatment information Information for recyclens/treatment facilities is available (see legal reference). Image: Comparison of the information for recyclens/treatment facilities is available (see legal reference). Image: Comparison of the information regarding each item may be found under P14. P7 Design Design P7.2 Plastic materials in covershousing have no surface coafig. Image: Comparison of the information regarding legal reference). P7.3 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison of the information regarding legal reference). P7.4 Plastic parts >100g consist of one material or of easily separable materials. Image: Comparison on the information regarding legal reference). P7.4 Plastic parts >200g consist of one material or of easily separable. Image: Comparison on the information regarding legal reference). P7.7 Uggrading can be done e.g., with processor, memory, cards or drives Image: Comparison on the information regarding legal reference). P7.7 Ug	Produc	Product environmental attributes - Market requirements - Environmental conscious design Requirement me					
P6.1 Information for recyclers/treatment facilities is available (see legal reference). Image: Construction of the conston construction of the construction construct				U	-		
P7 Design P7.1* Parts that have to be treated separately are easily separable P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >25g have material or of easily separable materials. P7.4* Plastic parts =25g have material cord easily separable materials. P7.5* Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Lables are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.10 Service is available after end of production for 7 years P7.11* Product coverhousing material of power cables are halogen free (including PVC). (See Note 1) P7.12 Electrical cable insulation material of signal cables are halogen free. (See Note 2) P7.14 All coverrhousing plastic parts >25g are halogen free. (See Note 2) P7.15 All printed circuit broads (without components) >25g are halogen free. (See Note 2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Material appecific	P6						-
Disasembly, recycling P71.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.4* Plastic parts >100g consist of one material or of easily separable materials. P7.4* Plastic parts >28 have material codes according to ISO 11459 referring ISO 1043. P7.5* Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6* Upgrading can be done e.g. with processor, memory, cards or drives P7.7.1* Product lifetime P7.7.5* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done e.g. with processor, memory, cards or drives P7.1* Product over/housing material type: PC+ABS(FR40) Material type: PC Material and substance requirements P7.1.4 Product over/housing material of power cables are halogen free (including PVC). (See Note 1) P7.14 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) P7.14 P1.14 All printed circuit boards (without components) >25g are halogen free. (See Note 2) P7.14 P1.14 P1			on for recyclers/treatment facilities is available (see legal reference).				
P7.2* Plastic materials in covers/housing have no surface coating. Image: Constant of the image: Constand of the image: Constant of the image: Co	P7	Disasse					_
P7.3* Plastic parts >100g consist of one material or of easily separable materials. Image: Construct on the image: Consthe image: Construct on the image: Construct on the image: Constru	P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.4' Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Image: Content of the image	P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\square		
P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Image: Context and the image in the im	P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.				
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Image: Constraint of the image: Consthe image: Constraint of t	P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Image: Constraint of the image: Consthe image: Constraint of t	P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
Product lifetime Image: Control of the second s	P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives Image: Control of Co							
P7.8' Upgrading can be done using commonly available tools Image: Commonly available tools P7.9. Spare parts are available after end of production for: 7 years P7.10 Service is available after end of production for: 7 years Material and substance requirements P7.11 Product cover/housing material type: Material type: PS-H Material type: PS-H Material type: PC P7.12 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) P7.13 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 2) P7.15 All printed circuit boards (without components) >25g are halogen free. (See Note 2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: Imprinted circuit boards (without components): TBBPA (additive) TBBPA (reactive) Other; chemical name: CAS #: Alt. 1 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Imprinted circuit boards (without components) >25g according ISO 1043-4: P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparat	P7.7*						
P7.9. Spare parts are available after end of production for: 7 years P7.10 Service is available after end of production for: 7 years Material and substance requirements P7.11* Product cover/housing material type: P7.12 Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) P7.13 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 1) P7.15 All printed circuit boards (without components) >25g are halogen free. (See Note 2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Matrial specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive)						H	
P7.10 Service is available after end of production for: 7 years Material and substance requirements P7.11* Product cover/housing material type: Material type: PS-HI Material type: PC P7.12 Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) Image: PC P7.13 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) Image: PC P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 1) Image: PC P7.15 All printed circuit boards (without components) >25g are halogen free. (See Note 2) Image: PC P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Image: PC P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards sets (without components): Image: PC P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: CAS #: Question and the insulation and event is plastic parts >25g necording ISO 1043-4: Image: PC P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: CAS #: Question aname:							
Material and substance requirements P7.11* Product cover/housing material type: Material type: SP-HI Material type: PC+ABS(FR40) P7.12 Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) P7.13 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 1) P7.15 All printed circuit boards (without components) >25g are halogen free. (See Note 2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Matring: P7.17 P7.17 Att. 1 Chemical specifications of flame retardants in printed circuit boards (without components): TBBPA (additive) , TBBPA (reactive) Note: , Other; chemical name: , CAS #: Att. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:							
P7.11* Product cover/housing material type: Material type: PC+ABS(FR40) Material type: PC P7.12 Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) Image: Comparison of the comparison	F7.10						
Material type: PC+ABS(FR40) Material type: PC P7.12 Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) Image: Comparison of Signal Cables are halogen free (including PVC). (See Note 1) Image: Comparison of Signal Cables are halogen free (including PVC). (See Note 1) P7.13 Electrical cable insulation material of signal cables are halogen free. (See Note 1) Image: Comparison of Signal Cables are halogen free. (See Note 1) P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 1) Image: Comparison of Comparison of Signal Cables are halogen free. (See Note 2) Image: Comparison of Comparison of Comparison of Signal Cables are halogen free. (See Note 2) Image: Comparison of Comparison of Comparison of Comparison of Comparison of Signal Cables are halogen free. (See Note 2) Image: Comparison of	D7 11*						
P7.12 Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) Image: Comparison of the insulation material of signal cables are halogen free (including PVC). (See Note 1) P7.13 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) Image: Comparison of the insulation material of signal cables are halogen free. (See Note 1) P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 1) Image: Comparison of the insulation material of signal cables are halogen free. (See Note 2) P7.15 All printed circuit boards (without components) >25g are marked according ISO 1043-4: Image: Comparison of the insulation insulation in printed circuit boards >25g (without components): P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: . 2. Chemical name: . 3. Chemical name: . 4.t 2 . Chemical specifications of	F7.11			al type: PC			
P7.13 Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) Image: Comparison of the system system of the system of the system of the system of th	P7.12						
P7.14 All cover/housing plastic parts >25g are halogen free. (See Note 1) Image: Construct the					<u> </u>		
P7.15 All printed circuit boards (without components) >25g are halogen free. (See Note 2) Image: Components) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Image: Components) P7.17 Alt.1 Image: Chemical specifications of flame retardants in printed circuit boards >25g (without components): Image: Chemical specifications of flame retardants in printed circuit boards >25g (without components): Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) >25g according Image: Chemical specifications of flame retardants in printed circuit boards (without components) = 25g according Image: Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: Image: Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: Image: Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: Image: Chemical specifications							
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Image: Covert and the image: Covert and th							
Marking: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): Image: CAS #: TBBPA (additive) TBBPA (reactive) Other; chemical name: CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Image: CAS #: P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Image: CAS #: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: Image: CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: Image: CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: Image: CAS #: P7.19 Of total plastic parts' weight >25g, recycled material content is %. P7.20 Of total plastic parts' weight >25g, biobased material content is %. P7.21 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Image: mercury is used specify: Number of lamp							
Chemical specifications of flame retardants in printed circuit boards >25g (without components):		Marking:			\square		
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Image: ISO 1043-4: P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. Image: Ima	P7.17	Chemica					
Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. Chemical name: CAS #: Chemical name: CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17) FR(40) P7.19 Of total plastic parts' weight >25g, recycled material content is %. P7.20 Of total plastic parts' weight >25g, biobased material content is P7.21 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: P8 Batteries P8.1* Battery chemical composition: NiMH		Chemica ISO 1043		25g according			
2. Chemical name: CAS #: 3. Chemical name: CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17) FR(40) P7.19 P7.19 Of total plastic parts' weight >25g, recycled material content is P7.20 Of total plastic parts' weight >25g, biobased material content is P7.21 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: P8 Batteries P8.1* Battery chemical composition: NIMH	P7.18	Flame re concentr	ations above 0.1%:	tions in			
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17) FR(40) P7.19 Of total plastic parts' weight >25g, recycled material content is %. P7.20 Of total plastic parts' weight >25g, biobased material content is %. P7.21 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: NIMH		2. Chem	ical name: , CAS #:				
P7.20 Of total plastic parts' weight >25g, biobased material content is %. P7.21 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: NIMH		Chemica FR(17) F	FR(40)				
P7.21 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Image: mg P8 Batteries P8.1* Battery chemical composition: NiMH		Of total p	plastic parts' weight >25g, recycled material content is %.				
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries Easterna in the second sec							
P8 Batteries P8.1* Battery chemical composition: NIMH	P1.21		•	ma	\bowtie		
P8.1* Battery chemical composition: <i>NiMH</i>	P8			ing			
		-					

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	MFC-8370DN		
Issue date *	<i>03/Mar/2010</i>	Logo	

Produc	oduct environmental attributes - Market requirements (continued) Requirement met					
ltem					Yes No	n.a.
P9	Energy consumpt					
9.1	For the product the	following power level	s or energy consum	<u>ptions have been</u>	measured:	
Energy I	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Copying	g	W	W	570 W		
Ready		W	W	80 W		
Sleep		W	W	11 W		
		W	W	W		
		W	W	W		
		W	W	W		H
EPS No	load	W	W	W		
(Externa charger	al power supply / plugged in the wall ut disconnected from			vv		
PTEC * Typical I	Energy Consumption	W	W	1080 W		
TEC * Typical I	Energy Consumption	kWh/week	kWh/week	3.316 kWh/we	ek	
Default t	time to enter energy	save mode: 5 minutes				
P9.2*	Information about t	he energy save function	on is provided with the	he product.		Ħ
P9.3*	The product meets ENERGY STAR® Others specify:	the energy requireme version 1.1 Tier:	nts of the following	voluntary prograr	n/s:	
P10	Emissions					
	Noise emission –	Declared according to	ISO 9296			
P10.1	Mode M	Node description		Declared A-weighted	Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)	
				sound power level L_{WAd} (B)	Operator position Bystander positions (only if product is not	
					or Desk side operator attended)	
	Idle *	Ready		* 4.02		
	Operation *	Copying		* 6.54		
	Other mode					
	Measured accordir	ng to: 🔀 ISO7779 🗌	ECMA-74	by FCMA-74 wit	h L _{pAm} measurement distance m)	
P10.2	The product meets				program/s: RAL-UZ122	
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ122					
P10.4	Typical emission ra	ate (print phase) is (mo	g/h):			_
D / 4 -	<u></u>	Dust Ozone	Styrene	Benzene	TVOC	
P10.5	Chemical emission requirements of the following voluntary program/s are met for :					
D 4 2 -	Electromagnetic					
P10.6	Computer display r program/s:	neets the requirement	tor low frequency e	lectromagnetic fi	elds of the following voluntary	\bowtie

Model number *	MFC-8370DN		
Issue date *	<i>03/Mar/2010</i>	Logo	

Produc	Requirer	nent	met	
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\square
P12.2*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square
P12.3*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s):PAPERweight (kg):2.9Product packaging material type(s):PSweight (kg):0.9Product packaging material type(s):weight (kg):weight (kg):			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%			
P14	Additional information			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1