



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Electrographic Multifunction Printer			
Commercial name *	MFC-8380DN			
Model number *	MFC-8380DN			
Issue date *	03/Mar/2010			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	MFC-8380DN		
Issue date *	03/Mar/2010	Logo	

Product	environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			·
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium	\boxtimes		
	max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max	_	_	
	0,1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
5	concentration values.		_	
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl	\boxtimes		
D4 5*	(PCT) max 0.005% by weight (see legal reference).		_	
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing			
P1.6*	at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).		_	
P1.6	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines	$\overline{}$	$\overline{}$	
1 1.7	max 0.003% by weight (see legal reference and Note 1).	Ш	Ш	\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as	$\overline{}$	$\overline{}$	\square
1 1.0	pentachlorophenol and derivatives (see legal reference).		ш	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5		П	X
	microgram/cm2/week (see legal reference).	ш	ш	
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			\boxtimes
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
Do	or data integrity reasons do not have to be "easily removable". (See legal reference)		-	
P3	Safety, EMC connection to the telephone network and labeling		_	
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		Ш	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	\boxtimes		
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	X	\Box	
	legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		Ħ	Ħ
	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these		ш	
	requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium	\square		
	max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal		一一	$\overline{}$
	Protocol (see legal reference).		ш	ш
	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	MFC-8380DN		
Issue date *	03/Mar/2010	Logo	

Produ	oduct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	<u> </u>		
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$	\Box			
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years			\Box		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC+ABS(FR40) Material type: PC					
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)					
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)		\boxtimes			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):					
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18	Alt. 1					
F1.10	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:		ш	ш		
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: CAS #:					
	3. Chemical name: CAS #:					
	Alt O					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		Ш			
	FR(17) FR(40)					
P7.19	Of total plastic parts' weight >25g, recycled material content is %.					
P7.20	Of total plastic parts' weight >25g, biobased material content is %.					
P7.21	Light sources are free from mercury	\boxtimes				
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries and max. mercury content per lamp: mg					
P8.1*	Batteries Battery chemical composition: NiMH					
P8.2	Batteries meet the requirements of the following voluntary program/s: 2006/66/EC			+		
1 0.2	Dationed most the requirements of the following voluntary program/s. 2000/00/20			1 1		

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	MFC-8380DN		
Issue date *	03/Mar/2010	Logo	

Produc	oduct environmental attributes - Market requirements (continued) Requirement met					met			
Item		Yes No n.a				n.a.			
P9	Energy consump								
9.1 For the product the following power levels or energy consumptions have been measured:									
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Star and test method	ndard for energy mo	odes	
Copying		W	W	570 W					
Ready		W	W	80 W					
Sleep		W	W	11 W					
		W	W	W					
		W	W	W					
		W	W	W					
charger p	power supply / plugged in the wall t disconnected from	W	W	W					
PTEC * Typical E	nergy Consumptio	W n	W	1080 W					
TEC * Typical E	Energy Consumptio	kWh/week	kWh/week	3.331 kWh/we	ek				
Default ti	me to enter energy	save mode: 5 minutes	•	•					
P9.2*	Information about	the energy save functio	n is provided with th	ne product.			\boxtimes		$\overline{\Box}$
P9.3*	The product meet ENERGY STAR® Others specify:	s the energy requirement version 1.1 Tier:	nts of the following v	oluntary progran	n/s:				
P10	Emissions								
	Noise emission -	 Declared according to 	ISO 9296						
P10.1	Mode	Mode description		Declared			A-weighted		
				A-weighted sound power		sound pressure	e level $L_{p{\rm Am}}$ (dB)		
				level L_{WAd} (B)	Ope	rator position	Bystander position		
				,,,,,,		Desktop	(only if product		
						or Desk side	operator atte	nueu)	
	Idle	* Ready		* 4.02					
	Operation	* Copying		* 6.54			-		
	Other mode								
	Measured accord	· = -	ECMA-74 (only if not covered	by ECMA-74 wit	h L _{pAn}	measurement dis	stance m)		
P10.2									
	Chemical emissions from printing products								
P10.3*		ccording to ECMA-328 (ndard, other	specif	y: RAL-UZ122			
P10.4	Typical emission	rate (print phase) is (mg	,	_					
D40.5	<u> </u>	Dust Ozone	Styrene	Benzene		TVOC			<u>Ц</u>
P10.5	Cnemical emissio	n requirements of the fo	llowing voluntary pr Oust 🔀	ogram/s Ozone		et for : Styrene			Ш
			Benzene 🔀	TVO		Styrene			
	Electromagnetic emissions								
P10.6					X				
	program/s:								

Model number *	MFC-8380DN		
Issue date *	03/Mar/2010	Logo	

Produc	t environmental attributes - Market requirements (continued)	Requirer	nent	met
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P12.2*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.3*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): PAPER weight (kg): 2.9 Product packaging material type(s): PS weight (kg): 0.9 Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%			
P14	Additional information	·		

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1