Installing the Mac® OS X 10.5 Printer driver

- 1. Turn off and unplug the machine from the AC outlet and disconnect it from your Macintosh® if you already connected an interface cable.
- 2. Connect the USB interface cable to your Macintosh®, and then connect it to the machine. Note:

Do not connect the machine to a USB port on a keyboard or a non-powered USB hub.

- 3. Plug the AC power cord into an AC outlet. Turn on the machine.
- 4. Turn on your Macintosh®.
- 5. Select "System Preferences" from the Apple Menu.



6. Click the "Print & Fax" icon.



7. Click the "+" button which is located below the "Printers" section.



8. Click the "Default" icon which is located at the top of the dialog box.

IL Fax	IP Windows Bluetooth Apple	Talk More Printers	Search
rinter Name		▲ Kind	
0.136.150.005	@ IDEVM003	Bonjour Shared	
0.136.150.126	@ IDEVM003	Bonjour Shared	
other BHL2-M	aintenance 7820N	Bonjour	
other BHL2-M	aintenance 8860DN	Bonjour	
other DCP-15	SC	USB	
other DCP-80	65DN (2)	Bonjour	
other DCP-90	45CDN	Bonjour	
other HL-215	0N series	Bonjour	
rothor UL 715	ON corior (00807701d4ca) @ IDEV	M002 Poniour Shared	
Name:	Brother DCP-155C		
Location:			
Print Using	Brother DCP-155C CUPS		

9. Select your machine from the "Printer Name" list.

Printer Name		▲ Kind	1
10.136.150.00	5 @ IDEVM003	Bonjour Shared	1
10.136.150.12	6 @ IDEVM003	Bonjour Shared	-
Brother BHL2-	Maintenance 7820N	Bonjour	1
Brother BHI 2-	Maintenance 8860DN	Bonjour	
Brother DCP-1	SSC	USB	
Brother DCP-8	065DN (2)	Bonjour	
Brother DCP-9045CDN		Bonjour	-
Brother HL-2150N series		Bonjour	1
Prother HI 21	EON corios 10080770144cs1@ IDEVM002	Poniour Shared	
Name	Brother DCP-155C		
Location			1
			5
D	Brother DCP-155C CUPS		

10. For the CUPS Driver:

Make sure that "XXXXXXX + CUPS" is selected in the "Print Using" list. (Where XXXXXXX is your model name.)

For the PostScript Driver:

Make sure that "XXXXXX + PS" or "XXXXXX + BR-Script3" is selected in the "Print Using" list. (Where XXXXXXX is your model name.)



11. Click "Add". The printer is now available in the "Print & Fax" list.



12. Select "Quit System Preferences" from the Apple Menu. The setup is now complete.

