

After Service Instruction

Model Name

Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Task Name

Telescopic Cover Wiper Parts List

Management No. ASI-038

This task should be carried out only by those who meet the following requirements.

Also, please understand the contents of "Precautions for Use" in advance before performing the work.

"Trained maintenance personnel"

- Persons who have knowledge of the electrical circuits of this machine and have received electrical safety education
- Persons who have received maintenance work education
- Persons who have been trained in the handling of high-pressure air and understand the piping of this machine

Precautions for Use

- Use of information, etc.

Intellectual property rights related to documents, programs, photos, videos, animations, articles, sketches, drawings, software, databases, data, trademarks, logos, etc. (hereinafter referred to as "information, etc.") include copyrights, design rights, trademark rights, and other rights protected by intellectual property law and belong to Brother or third parties licensed by Brother. You may use this information, etc. within the scope of your personal use or other legally permitted limits, but copying, distributing, modifying, displaying, transmitting, or broadcasting any part or all of the information without the permission of the rights holder, regardless of the media or means, is prohibited.

'- Disclaimer

Brother assumes no responsibility for any infringement of rights or damages (including but not limited to damage to equipment, facilities, buildings, loss of profit or business opportunities, business interruption, and indirect, special, incidental, punitive, or consequential damages) that may occur as a result of your use of this information.

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 1

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


TC-S2A Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

TC-S2A, TC-S2A-O

TC-S2A



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis


	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	32	
2	655977001	COLLAR 6-4-1	32	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	33	
2	655977001	COLLAR 6-4-1	33	

3-1	654652001	WIPER X-269 N	2	
3-2	645052000	WIPER PRESSURE PLATE6X263	2	
4-1	654651001	WIPER X-259 N	2	
4-2	645045000	WIPER FIXING BASE 6X253	2	
5-1	653534001	WIPER, Y-68L N	2	
5-2	645055000	WIPER FIXING BASE 6X62	2	
6-1	653532001	WIPER, Y-61L N	2	
6-2	652848001	PRESSURE PLATE Y-3S-22A	2	
7-1	653523001	WIPER, Y-68R N	2	
7-2	645055000	WIPER FIXING BASE 6X62	2	
8-1	653531001	WIPER, Y-61R N	2	
8-2	645048000	WIPER FIXING BASE 6X55	2	

9-1	654655001	WIPER, Y-476 N	1	
9-2	645075000	WIPER FIXING BASE 6X 470	1	
10-1	654654001	WIPER, Y-466 N	1	
10-2	645071000	WIPER FIXING PLATE 6X460	1	
11-1	654653001	WIPER, Y-456 N	1	
11-2	645064000	WIPER FIXING BASE 6X450	1	
12-1	653534001	WIPER, Y-68L N	1	
12-2	645055000	WIPER FIXING BASE 6X62	1	
13-1	653532001	WIPER, Y-61L N	1	
13-2	645048000	WIPER FIXING BASE 6X55	1	
14-1	654657001	WIPER, Y-54L N	1	
14-2	645067000	WIPER FIXING BASE 6X48	1	
15-1	653523001	WIPER, Y-68R N	1	
15-2	645055000	WIPER FIXING BASE 6X62	1	
16-1	653531001	WIPER, Y-61R N	1	
16-2	645048000	WIPER FIXING BASE 6X55	1	
17-1	654656001	WIPER, Y-54R N	1	
17-2	645067000	WIPER FIXING BASE 6X48	1	

TC-S2A-O



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	32	
2	655977001	COLLAR 6-4-1	32	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	33	
2	655977001	COLLAR 6-4-1	33	

3-1	654652001	WIPER X-269 N	2	
3-2	645052000	WIPER PRESSURE PLATE6X263	2	
4-1	654651001	WIPER X-259 N	2	
4-2	645045000	WIPER FIXING BASE 6X253	2	
5-1	653534001	WIPER, Y-68L N	2	
5-2	645055000	WIPER FIXING BASE 6X62	2	
6-1	653532001	WIPER, Y-61L N	2	
6-2	652848001	PRESSURE PLATE Y-3S-22A	2	
7-1	653523001	WIPER, Y-68R N	2	
7-2	645055000	WIPER FIXING BASE 6X62	2	
8-1	653531001	WIPER, Y-61R N	2	
8-2	645048000	WIPER FIXING BASE 6X55	2	

9-1	654655001	WIPER, Y-476 N	1	
9-2	645075000	WIPER FIXING BASE 6X 470	1	
10-1	654654001	WIPER, Y-466 N	1	
10-2	645071000	WIPER FIXING PLATE 6X460	1	
11-1	654653001	WIPER, Y-456 N	1	
11-2	645064000	WIPER FIXING BASE 6X450	1	
12-1	653534001	WIPER, Y-68L N	1	
12-2	645055000	WIPER FIXING BASE 6X62	1	
13-1	653532001	WIPER, Y-61L N	1	
13-2	645048000	WIPER FIXING BASE 6X55	1	
14-1	654657001	WIPER, Y-54L N	1	
14-2	645067000	WIPER FIXING BASE 6X48	1	
15-1	653523001	WIPER, Y-68R N	1	
15-2	645055000	WIPER FIXING BASE 6X62	1	
16-1	653531001	WIPER, Y-61R N	1	
16-2	645048000	WIPER FIXING BASE 6X55	1	
17-1	654656001	WIPER, Y-54R N	1	
17-2	645067000	WIPER FIXING BASE 6X48	1	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

4

2 Phillips screwdriver

5

3

6

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 2

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


TC-S2B Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

TC-S2B, TC-S2B-S/S2B-O

TC-S2B



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis


	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	32	
2	655977001	COLLAR 6-4-1	32	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	33	
2	655977001	COLLAR 6-4-1	33	

3-1	654652001	WIPER X-269 N	2	
3-2	645052000	WIPER PRESSURE PLATE6X263	2	
4-1	654651001	WIPER X-259 N	2	
4-2	645045000	WIPER FIXING BASE 6X253	2	
5-1	652840001	WIPER Y-2L-22A	2	
5-2	652825001	PRESSURE PLATE X-3S-22A	2	
6-1	652841001	WIPER Y-3L-22A	2	
6-2	652848001	PRESSURE PLATE Y-3S-22A	2	
7-1	652837001	WIPER Y-2R-22A	2	
7-2	652825001	PRESSURE PLATE X-3S-22A	2	
8-1	652838001	WIPER Y-3R-22A	2	
8-2	652848001	PRESSURE PLATE Y-3S-22A	2	

3-1	654652001	WIPER X-269 N	1	
9-1	618198001	WIPER, Y-596	1	
9-2	618199001	WIPER RETAINER 6X590	1	
10-1	618194001	WIPER, Y-586	1	
10-2	618195001	WIPER RETAINER 6X580	1	
11-1	618190001	WIPER, Y-576	1	
11-2	618191001	WIPER RETAINER 6X570	1	
12-1	653534001	WIPER, Y-68L N	1	
12-2	645055000	WIPER FIXING BASE 6X62	1	
13-1	653532001	WIPER, Y-61L N	1	
13-2	645048000	WIPER FIXING BASE 6X55	1	
14-1	654657001	WIPER, Y-54L N	1	
14-2	645067000	WIPER FIXING BASE 6X48	1	
15-1	653523001	WIPER, Y-68R N	1	
15-2	645055000	WIPER FIXING BASE 6X62	1	
16-1	653531001	WIPER, Y-61R N	1	
16-2	645048000	WIPER FIXING BASE 6X55	1	
17-1	654656001	WIPER, Y-54R N	1	
17-2	645067000	WIPER FIXING BASE 6X48	1	

Common for TC-S2B-S/TC-S2B-O



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	48	
2	655977001	COLLAR 6-4-1	48	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	33	
2	655977001	COLLAR 6-4-1	33	

3-1	654650001	WIPER X-279 N	2	
3-2	628880000	WIPER STOPPER X1-A273L	2	
4-1	654652001	WIPER X-269 N	2	
4-2	645052000	WIPER PRESSURE PLATE6X263	2	
5-1	654651001	WIPER X-259 N	2	
5-2	645045000	WIPER FIXING BASE 6X253	2	
6-1	652839001	WIPER Y-1L-22A	2	
6-2	652824001	PRESSURE PLATE X-2S-22A	2	
7-1	652837001	WIPER Y-2R-22A	2	
7-2	652825001	PRESSURE PLATE X-3S-22A	2	
8-1	652841001	WIPER Y-3L-22A	2	
8-2	652848001	PRESSURE PLATE Y-3S-22A	2	
9-1	652836001	WIPER Y-1R-22A	2	
9-2	652824001	PRESSURE PLATE X-2S-22A	2	
10-1	652837001	WIPER Y-2R-22A	2	
10-2	652825001	PRESSURE PLATE X-3S-22A	2	
11-1	652838001	WIPER Y-3R-22A	2	
11-2	652848001	PRESSURE PLATE Y-3S-22A	2	

12-1	618198001	WIPER, Y-596	1	
12-2	618199001	WIPER RETAINER 6X590	1	
13-1	618194001	WIPER, Y-586	1	
13-2	618195001	WIPER RETAINER 6X580	1	
14-1	618190001	WIPER, Y-576	1	
14-2	618191001	WIPER RETAINER 6X570	1	
15-1	653534001	WIPER, Y-68L N	1	
15-2	645055000	WIPER FIXING BASE 6X62	1	
16-1	653532001	WIPER, Y-61L N	1	
16-2	645048000	WIPER FIXING BASE 6X55	1	
17-1	654657001	WIPER, Y-54L N	1	
17-2	645067000	WIPER FIXING BASE 6X48	1	
18-1	653523001	WIPER, Y-68R N	1	
18-2	653523001	WIPER, Y-68R N	1	
19-1	653531001	WIPER, Y-61R N	1	
19-2	645048000	WIPER FIXING BASE 6X55	1	
20-1	654656001	WIPER, Y-54R N	1	
20-2	645067000	WIPER FIXING BASE 6X48	1	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

4

2 Phillips screwdriver

5

3

6

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 3

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


TC-S2C Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

TC-S2C/S2C-O, TC-S2C-S

Common for TC-S2C/TC-S2C-O



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis


	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	32	
2	655977001	COLLAR 6-4-1	32	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	20	
2	655977001	COLLAR 6-4-1	20	

3-1	6A7054001	WIPER X-289	2	
3-2	6A7055001	WIPER FIXING BASE 6X283	2	
4-1	6A7048001	WIPER X-279	2	
4-2	6A7049001	WIPER FIXING BASE 6X273	2	
5-1	652841001	WIPER Y-3L-22A	2	
5-2	652848001	PRESSURE PLATE Y-3S-22A	2	
6-1	652841001	WIPER Y-3L-22A	2	
6-2	652848001	PRESSURE PLATE Y-3S-22A	2	
7-1	652837001	WIPER Y-2R-22A	2	
7-2	652825001	PRESSURE PLATE X-3S-22A	2	
8-1	652838001	WIPER Y-3R-22A	2	
8-2	652848001	PRESSURE PLATE Y-3S-22A	2	

9-1	6A7058001	WIPER Y-531	1	
9-2	6A7059001	WIPER FIXING BASE 6X525	1	
10-1	6A7056001	WIPER Y-521	1	
10-2	6A7057001	WIPER FIXING BASE 6X515	1	
11-1	653534001	WIPER, Y-68L N	1	
11-2	645055000	WIPER FIXING BASE 6X62	1	
12-1	653532001	WIPER, Y-61L N	1	
12-2	645048000	WIPER FIXING BASE 6X55	1	
13-1	653523001	WIPER, Y-68R N	1	
13-2	645055000	WIPER FIXING BASE 6X62	1	
14-1	653531001	WIPER, Y-61R N	1	
14-2	645048000	WIPER FIXING BASE 6X55	1	

TC-S2C-S



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	48	
2	655977001	COLLAR 6-4-1	48	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	20	
2	655977001	COLLAR 6-4-1	20	

3-1	6A7564001	WIPER X-299	2	
3-2	6A7565001	WIPER FIXING BASE 6X293	2	
4-1	6A7054001	WIPER X-289	2	
4-2	6A7055001	WIPER FIXING BASE 6X283	2	
5-1	6A7048001	WIPER X-279	2	
5-2	6A7049001	WIPER FIXING BASE 6X273	2	
6-1	652839001	WIPER Y-1L-22A	2	
6-2	652824001	PRESSURE PLATE X-2S-22A	2	
7-1	652840001	WIPER Y-2L-22A	2	
7-2	652825001	PRESSURE PLATE X-3S-22A	2	
8-1	652841001	WIPER Y-3L-22A	2	
8-2	652848001	PRESSURE PLATE Y-3S-22A	2	
9-1	652836001	WIPER Y-1R-22A	2	
9-2	652824001	PRESSURE PLATE X-2S-22A	2	
10-1	652837001	WIPER Y-2R-22A	2	
10-2	652825001	PRESSURE PLATE X-3S-22A	2	

11-1	652838001	WIPER Y-3R-22A	1	
11-2	652848001	PRESSURE PLATE Y-3S-22A	1	
12-1	6A7058001	WIPER Y-531	1	
12-2	6A7059001	WIPER FIXING BASE 6X525	1	
13-1	6A7056001	WIPER Y-521	1	
13-2	6A7057001	WIPER FIXING BASE 6X515	1	
14-1	653534001	WIPER, Y-68L N	1	
14-2	645055000	WIPER FIXING BASE 6X62	1	
15-1	653532001	WIPER, Y-61L N	1	
15-2	645048000	WIPER FIXING BASE 6X55	1	
16-1	653523001	WIPER, Y-68R N	1	
16-2	645055000	WIPER FIXING BASE 6X62	1	
17-1	653531001	WIPER, Y-61R N	1	
17-2	645048000	WIPER FIXING BASE 6X55	1	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

4

2 Phillips screwdriver

5

3

6

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 4

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


TC-S2D Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

TC-S2D/S2D-O, TC-S2D-S

Common for TC-S2D/TC-S2D-O



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	32	
2	655977001	COLLAR 6-4-1	32	


Y-axis

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	20	
2	655977001	COLLAR 6-4-1	20	

3-1	6B1072001	WIPER X-289 FR	2	
3-2	6A7055001	WIPER FIXING BASE 6X283	2	
4-1	6B1069001	WIPER X-279 FR	2	
4-2	6A7049001	WIPER FIXING BASE 6X273	2	
5-1	6B1074001	WIPER X-73L FR	2	
5-2	652848001	PRESSURE PLATE Y-3S-22A	2	
6-1	6B1071001	WIPER X-66L FR	2	
6-2	652848001	PRESSURE PLATE Y-3S-22A	2	
7-1	6B1073001	WIPER X-73R FR	2	
7-2	652825001	PRESSURE PLATE X-3S-22A	2	
8-1	6B1070001	WIPER X-66R FR	2	
8-2	652848001	PRESSURE PLATE Y-3S-22A	2	

9-1	6B1230001	WIPER Y-531 FR	1	
9-2	6A7059001	WIPER FIXING BASE 6X525	1	
10-1	6B1227001	WIPER Y-521 FR	1	
10-2	6A7057001	WIPER FIXING BASE 6X515	1	
11-1	6B1232001	WIPER Y-68L FR	1	
11-2	645055000	WIPER FIXING BASE 6X62	1	
12-1	6B1229001	WIPER Y-61L FR	1	
12-2	645048000	WIPER FIXING BASE 6X55	1	
13-1	6B1231001	WIPER Y-68R FR	1	
13-2	645055000	WIPER FIXING BASE 6X62	1	
14-1	6B1228001	WIPER Y-61R FR	1	
14-2	645048000	WIPER FIXING BASE 6X55	1	

TC-S2D-S



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	48	
2	655977001	COLLAR 6-4-1	48	

Y-axis

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	20	
2	655977001	COLLAR 6-4-1	20	

3-1	6B1354001	WIPER X-299 FR	2	
3-2	6A7565001	WIPER FIXING BASE 6X293	2	
4-1	6B1072001	WIPER X-289 FR	2	
4-2	6A7055001	WIPER FIXING BASE 6X283	2	
5-1	6B1069001	WIPER X-279 FR	2	
5-2	6A7049001	WIPER FIXING BASE 6X273	2	
6-1	6B1356001	WIPER X-80L FR	2	
6-2	652824001	PRESSURE PLATE X-2S-22A	2	
7-1	6B1074001	WIPER X-73L FR	2	
7-2	652825001	PRESSURE PLATE X-3S-22A	2	
8-1	6B1071001	WIPER X-66L FR	2	
8-2	652848001	PRESSURE PLATE Y-3S-22A	2	
9-1	6B1355001	WIPER X-80R FR	2	
9-2	652824001	PRESSURE PLATE X-2S-22A	2	
10-1	6B1073001	WIPER X-73R FR	2	
10-2	652825001	PRESSURE PLATE X-3S-22A	2	
11-1	6B1070001	WIPER X-66R FR	2	
11-2	652848001	PRESSURE PLATE Y-3S-22A	2	

12-1	6B1230001	WIPER Y-531 FR	1	
12-2	6A7059001	WIPER FIXING BASE 6X525	1	
13-1	6B1227001	WIPER Y-521 FR	1	
13-2	6A7057001	WIPER FIXING BASE 6X515	1	
14-1	6B1232001	WIPER Y-68L FR	1	
14-2	645055000	WIPER FIXING BASE 6X62	1	
15-1	6B1229001	WIPER Y-61L FR	1	
15-2	645048000	WIPER FIXING BASE 6X55	1	
16-1	6B1231001	WIPER Y-68R FR	1	
16-2	645055000	WIPER FIXING BASE 6X62	1	
17-1	6B1228001	WIPER Y-61R FR	1	
17-2	645048000	WIPER FIXING BASE 6X55	1	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

4

2 Phillips screwdriver

5

3

6

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 5

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


TC-S2DN Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

TC-S2DN/S2DN-O, TC-S2DN-S

Common for TC-S2DN/TC-S2DN-O



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis


	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	32	
2	655977001	COLLAR 6-4-1	32	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	20	
2	655977001	COLLAR 6-4-1	20	

3-1	6B5236001	ELESCOPIC WIPER X3 S2DN	2	
3-2	6A7055001	WIPER FIXING BASE 6X283	2	
4-1	6B5234001	TELESCOPIC WIPER X1 S2DN	2	
4-2	6A7049001	WIPER FIXING BASE 6X273	2	
5-1	6B1074001	WIPER X-73L FR	4	
5-2	652848001	PRESSURE PLATE Y-3S-22A	4	
6-1	6B1071001	WIPER FIXING BASE 6X525	4	
6-2	6B5237001	TELESCOPIC WIPER X4 S2DN	4	

7-1	6B5330001	TELESCOPIC WIPER Y3 S2DN	1	
7-2	6A7059001	WIPER FIXING BASE 6X525	1	
8-1	6B5328001	TELESCOPIC WIPER Y1 S2DN	1	
8-2	6A7057001	WIPER FIXING BASE 6X515	1	
9-1	6B5331001	TELESCOPIC WIPER Y4 S2DN	2	
9-2	645055000	WIPER FIXING BASE 6X62	2	
10-1	6B1229001	WIPER Y-61L FR	2	
10-2	645048000	WIPER FIXING BASE 6X55	2	

TC-S2DN-S



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	48	
2	655977001	COLLAR 6-4-1	48	

	Part code	Part name	AR	Qty
1	653440001	MACHINE SCREW M3X4.5	20	
2	655977001	COLLAR 6-4-1	20	

3-1	6B5265001	TELESCOPIC WIPER X5 S2DN	2	
3-2	6A7565001	WIPER FIXING BASE 6X293	2	
4-1	6B5236001	TELESCOPIC WIPER X3 S2DN	2	
4-2	6A7055001	WIPER FIXING BASE 6X283	2	
5-1	6B5234001	TELESCOPIC WIPER X1 S2DN	2	
5-2	6A7049001	WIPER FIXING BASE 6X273	2	
6-1	6B5266001	TELESCOPIC WIPER X6 S2DN	4	
6-2	652824001	PRESSURE PLATE X-2S-22A	4	
7-1	6B5237001	TELESCOPIC WIPER X4 S2DN	4	
7-2	652825001	PRESSURE PLATE X-3S-22A	4	
8-1	652825001	PRESSURE PLATE X-3S-22A	4	
8-2	652848001	PRESSURE PLATE Y-3S-22A	4	

9-1	6B5330001	TELESCOPIC WIPER Y3 S2DN	1	
9-2	6A7059001	WIPER FIXING BASE 6X525	1	
10-1	6B5328001	TELESCOPIC WIPER Y1 S2DN	1	
10-2	6A7057001	WIPER FIXING BASE 6X515	1	
11-1	6B5331001	TELESCOPIC WIPER Y4 S2DN	2	
11-2	645055000	WIPER FIXING BASE 6X62	2	
12-1	6B1229001	WIPER Y-61L FR	2	
12-2	645048000	WIPER FIXING BASE 6X55	2	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

4

2 Phillips screwdriver

5

3

6

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 6

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


S*00X2 Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

S300X1(N)/S500X1(N)/S700X1(N)、S1000X1(N)

S300X1(N)/S500X1(N)/S700X1(N)



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y軸


	Part code	Part name	AR	Qty
1	6B9257001	TORX MACHINE SCREW M3X6	20	
2	6B5550001	MACHINE SCREW M3X4.5 H5(S)	4	
3	653440001	MACHINE SCREW M3X4.5	4	

	Part code	Part name	AR	Qty
1	6B9257001	TORX MACHINE SCREW M3X6	9	
2	6B5550001	MACHINE SCREW M3X4.5 H5(S)	4	

5-1	6B6735001	TELESCOPIC WIPER FL282	2	
5-2	6B6736001	WIPER FIXING BAR FL270	2	
6-1	6B5234001	TELESCOPIC WIPER X1 S2DN	2	
6-2	6B6736001	WIPER FIXING BAR FL270	2	
7-1	6B6738001	TELESCOPIC WIPER SL63	4	
7-2	6B6064001	WIPER FIXING BAR SL56	4	
8-1	6B6737001	TELESCOPIC WIPER SL54	4	
8-2	6B6064001	WIPER FIXING BAR SL56	4	

9-1	6B9596001	TELESCOPIC WIPER FL537A	1	
9-2	6B6318001	WIPER FIXING BAR FL172	1	
10-1	6B6738001	TELESCOPIC WIPER SL63	2	
10-2	6B6064001	WIPER FIXING BAR SL56	2	

S1000X1(N)



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis

	Part code	Part name	AR	Qty
1	6C0259001	WIPER X TELESCO SUPPLY SX1SL	1	

	Part code	Part name	AR	Qty
2	6C0260001	WIPER Y TELESCO SUPPLY SY1SL	1	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

2 Phillips screwdriver

4

5

3

6

Public Document

Model Name Common[TC-S2A,S2B,S2C,S2D(N),S*00X1(N),S*00X2]

Page No. 7

Task Name Telescopic Cover Wiper Parts List

Total Pages 7

Work Procedure

(Key Points of Work, Reasons for Key Points, Safety, Tips)


S*00X2 Telescopic Cover Wiper Parts List

※For detailed replacement procedures, please refer to the Installation Manual, Chapter 9 Inspection, 9.5 Replacement of Consumable Parts.

Parts List

S300X2/S500X2/S700X2

S300X2/S500X2/S700X2



※Since the X-axis wiper is common to both left and right, the required quantity is two (left and right).

X-axis
(common for left and right)

Y-axis

	Part code	Part name	AR	Qty
1	6B9257001	TORX MACHINE SCREW M3X6	16	
2	6B5550001	MACHINE SCREW M3X4.5 H5(S)	16	

	Part code	Part name	AR	Qty
1	6B9257001	TORX MACHINE SCREW M3X6	12	
2	6B5550001	MACHINE SCREW M3X4.5 H5(S)	8	

3-1	6C4365001	TELESCOPIC WIPER FL144	4	
3-2	6C4379001	WIPER FIXING BAR FL131	4	
4-1	6C4364001	TELESCOPIC WIPER FL139	4	
4-2	6C4379001	WIPER FIXING BAR FL131	4	
5-1	6B6738001	TELESCOPIC WIPER SL63	4	
5-2	6B6064001	WIPER FIXING BAR SL56	4	
6-1	6B6737001	TELESCOPIC WIPER SL54	4	
6-2	6B6064001	WIPER FIXING BAR SL56	4	

7-1	6C4377001	TELESCOPIC WIPER FL273	2	
7-2	6C4378001	WIPER FIXING BAR FL260	2	
8-1	6C4376001	TELESCOPIC WIPER FL268	2	
8-2	6C4378001	WIPER FIXING BAR FL260	2	
9-1	6B6738001	TELESCOPIC WIPER SL63	2	
9-2	6B6064001	WIPER FIXING BAR SL56	2	
10-1	6B6737001	TELESCOPIC WIPER SL54	2	
10-2	6B6064001	WIPER FIXING BAR SL56	2	

Total Work Estimated
Time (minutes)

60minutes

Tools and Equipment Used

1 Hex wrench set

2 Phillips screwdriver

4

5

3

6